lui ry	Soviet "alc	CHA=RDP83=00415R010900070006-7	
-	Sumors Concern: A Las Lireralt (1985)		
1 1 V			
ALUATION	25X1A PLACE OBTAINE	D	25X
	ONTENT. 25X1		abuduk aru sanonsa saabi h
	INEDDATE	PREPARED_ 7 A ril 1950	erna- en some anname
	<u> </u>	•	Mortograppy mikes kiemalistika
	3 ENCLOSURES (NO. & TYPE)		and and an
	•		
,			Mark Mariner (M. 17 - Marine Capatric Mariner)
			all helionism reconstructed and anticipated block
,			
	aan da saa ahaa ku		25>
1.	Location of wrasm:		
1.	Location of Prasm: About 20 km southwest of Luibysnev (50 railroad line.	ol5'z/53o12'a), on the rensa-Ruit, shev	
	About 20 km southwest of huibysnev (50	0015'2/53012'N), on the rensa-Kuit, shev	
	About 20 km southwest of huibysnev (50 railroad line.		
2.	About 20 km southwest of huibysnev (50 railroad line.  Type of plant:		
2	About 20 km southwest of huibysnev (50 railroad line.  Type of plant: Aircraft plant and farm equipment fact	ory.  about 500 metals southwest of the rail	
2. 3.	About 20 km southwest of huibysnev (50 railroad line.  Type of plant:  Aircraft plant and farm equipment fact  Location of plant:  On the form-suib shev railroad line.	ory.  about 500 metals southwest of the rail	
2.	About 20 km southwest of huibysnev (50 railroad line.  Type of plant: Aircraft plant and farm equipment fact Location of plant: On the fonse-huib shev railroad line, road station of Brash, about 500 meter	about 500 metors southwest of the rail south of the Volga hiver.  of the plant along the railrosa line it was constantly being expanded.	
2. 3.	About 20 km southwest of huibysnev (50 railroad line.  Type of plant: Aircraft plant and farm equipment fact Location of plant: On the fense-huib shev railroad line, road station of Brash, about 500 meter Dize: Ho details available. The extension of what estimate that about 3 km. The plan	about 500 metors southwest of the rail south of the Volga hiver.  of the plant along the railrosa line it was constantly being expanded.	
2. 3.	About 20 km southwest of huibysnev (50 railroad line.  Type of plant: Aircraft plant and farm equipment fact Location of plant:  On the fonse-huib shev railroad line, road station of Brash, about 500 meter  Dize:  No details available. The extension of what estimated at about 3 km. The plant the factory field bordered on the plant	about 500 meters southwest of the railers south of the Volam hiver.  of the plant along the religional line it was constantly being expanded.	

	•	- 2		25X1A
			annex	A 100
			coneje	AH
		c. One power plant, no details available (mentioned by engi	neer Schwible).	
		d. One three-story brick workshop under construction, about		
		e. One underground factory field under construction, no out	•	
25X1X				
		1. One large factory field outside the plant rea. Further buildings were available. A large number of mairroad tracks entire plant area.	unidentified were Inia to the	
	6.	rlant management:		
		Soviet manager unknown; the German chief of the designs bure	au	25X1X
7	ï •	Historical data:		
		The plant was built after 1.46. The entire Junkers machiner, and four complete workshops, dismantled in Germany, were also on the plant site. The plant was comprised of the former Bendessau and Halle Junkers Plants. All the engineers and foreincluding their families, were deported to Brash to supervision of the plant before the production proper was started.	o reconstructed rlin, Magdeburg, men of these prants.	
٤		Nork force:		
		About 1,800 German engineers and foremen, about 1,200 women, the German personnel, 300 Merman jureniles, the dependents of 3,500 Soviet engineers and foremen. The number of the Soviet unknown. Fork was done in three shifts.	the Germans.	
9	3	Production:		•
25X1X		A jet fighter, similar to that develop Junkers firm toward the end of the war, in addition to various machinery.		
10		Output:		•
25X1X 25X1X	1	Froduction started in March 1947. The output of the first flunusable and had to be scrapped. The monthly output in May 1 130 jet fighters, 50 percent of which were wasted This rate was continued until October 1948. In special accree Stalin Ger, an engineers a bonus of 2,000 rubles if the monthly output was increased to 200.  In increased to 200.  In increased to 200 and plant equipment available in October 1948.	S40 was lab to of production promised the of jet fighters brease of production	
25X1A		Comment:		,
:		e. The data as contained in this report do not seem to be encorrect. Brash, allegedly to has southwest of allegedly to the		
25X1&		Ruibyshev line, is somentered on any of the available saps.	So far only dia_ to Soviets,	
		<u></u>		
		Co. FIMETIAL		25X1A

Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7

Approved Fp <sub>f</sub> -Re <u>l</u> i	3	, io . OIA-I	(C) 00-004 I			25X1/ 25X1/ 25X1/
		·				
so-called Flant wo 2 near The statement that the pragrae with this assumption	Krasnaya G ant is abou	linka me	ntioned in	another		
c. Ast of the plant, on northeast of Kuibyshev, i aircraft parts. This past possibly also erected her construction of a new fac	s another p t was know e since one	lant whi in by the of the	on, during number 207 received re	the war,	produced alidinjs were	
d. Although it is well p in Kuibyshev the individu their exagnorated charact	al data fur	nished b	actually a y nim canno	et ot be eva	tuated since	25X1)
					e e	
•						
					·	
•						,
		•				

25X1X

COLFIDS TIAS

countri' -	Δ	opproved For Releas	<u> </u>			25X1A
		t Engine Plant	No 24 in KUT		A 40-0-1	
25X1A	a china territori della china di china	and the second s	AND THE PERSON OF THE PERSON O	egier viele für de staden von de eine verbeiten verbeiten verbeiten verbeiten. De staden von der staden verbeiten ve	n, Kalemanari waliongi ng Militopin ng Kalematana, Islomban ng Pangang Pangang ang Kalemana	ARTICLE PROPERTY OF A CONTROL AND LEGISLATION AND A CONTROL OF THE CONTROL AND A CONTR
EVALUATION_	ese custor souther recombination	L PI	LACE OBTAINED	Separation of the separation o	1999 in Consider Constant	25X A
25X1C DATE OF CON	· F					To the state of th
	-		DATE PREP	ARED 6 Ja	inuary 1950	orridanistralistatikasi sono reperminantimatoria saatus
REFERENCES		nggy paggaggaggaggaggaggaggaggaggaggaggaggagg	- Marien enter er State en state jewis som ikke miner v. des v.e. som je seje s	nam arthur ( a membrana ringha-termenan arthur ( a termena)	re to a motor a reservative de la responsación de la responsación de la responsación de la responsación de la r	likka k Serkharino di Li ir cassisinan suranggarorida
PAGES 3	E	ENCLOSURES (NO. &	TYPE) 1 B1	ueprint		P. Champher C. Gallery, V. Street, Av. 1974 St.
REMARKS			THEORY MATERIAL SAME AND ADMINISTRATION OF MATERIAL SAME AND SAME	W. Mile proving a more about the second seconds.	Transmitte demokratika transmitte samatur samatur enterena energias sensi saturungan sama saturungan samatur.	en la collection de la
	Male vendrallysissipus maydala. Ig. 1744 re	nakon rohan piga kanan dalah salah dalah dalah kanan dalah salah salah salah salah salah salah salah salah sal	nin it by VIII. I stategard ones mentenskript, sunces er tre er 1885 brita.	Made - John dist. If a standardist-plantific relative 2 has a schipple rand - colour stan	·	MATERIAL STATE OF STATE ASSESSMENT ASSESSMEN
STATEMENT OF STREET, COLUMN AND ADDRESS OF THE ADDR	Succession of the Control of the Con		ama, amandhada shalancama, ballada shalan ashirinda dhirigansi al sa loka ka mir ballad	эдэг саргаулан эндэг хүртэг хэхэрт хэхэрт хэхэрт хэхэрт хэхэрт хэхэрт хэхэрт хэхэрт хэхэг хэхэрт хэхэг хэхэг х Хэхэг хэхэг хэх хэх		м-рык положения жей на стале нь граневный ф
i Materials appearing and a service major man of the continuous methods of the	fram verskrift (t.) <b>sjørkrifte older ochskrifte</b>		aanus aan salayan seedhaala ragamagaa siijaalaya aalanniiga siigansan siila siinadaalaagay ofea a	They follow the Anna Constitution and the Market and the Market and Market Anna Anna Anna Anna Anna Anna Anna A		
						25X1>
1.	Labor					
	in thr	number 14,000 ree shifts, the ight shifts.	Soviets, { to a day shift be	1/3 women. ing twice	The plant work as strong as th	ks e
2.	Restri	icted Areas:				
	The Af	ircraft Engine	Plant No 24	to comprise	ed of:	
	platfo 10-foo restr	orm and the ter ot high fence	st stand. Thi and watch tow	s area was ers (see sk	ly shop, the lo surrounded by etch). Inside ich source <sup>c</sup> anno	a this
	b. A where	free area (the the PWs were	he other part working.	of the pre	mises of the pl	ant)
3,	Produc	ction:				
	of air	rcraft engine oned the design	was built in t	the plant:	Only one type if a Joviet wo must have been	rker
	12 cy	linders: batt	ery and magner	to ignition	-line V-engine; ; crankshafts y other cylinde	about
		CLASSIFICATION	SEORET.			25X1A
			a diale di mari			

	*		25X1A
•		six to eight bearings, dismeter of shafts about 3.6 inches, height 15.7 inches. (Source indicated dimensions on an inchrule; in the plant gauges were used.)	. •
25X1A 25X1A		c. Part of the production (component parts) arrived at the aircraft plant on trucks and were assembled there. The PWs who worked there, said IL-2s had been tested at the plant airfield. Observed test flights of these planes. It is quite certain saw engines of IL-2s on the scrap heap.	
		d. Asked whether it would be possible to produce 10 engines a day (including refuse)  the other hand, source renembers that in may 1947 only five serviceable engines were produced. (General rumon among PVs). About 60 crankshafts were produced in a day shift.	25X1A
	4.	Production of Components:	
25X1X		a. The production included measuring instruments, slide gages, caliper gages, micrometers.	25X1X
		(1) Small ones with measuring distances of \$5, 20 and 25, 195 mm (0.98, 0.79 and 0.98, 7.68 inches respectively); they were made of thin steel plates 0.079 inches thick.	
		(2) Large ones with measuring distances of 50.8 and 50.78 mm, made of steel plates 0.237 inches thick (6 mm).	
		(3) Large gages of steel plates 0.35 inches (9 mm) thick.	25X1A
		A block consisted of superimposed pieces which	
		word broated together and later separated.	
		b. Hanufacture of crankshafts for aircraft engines and tractor engines as well as drive shafts, cardan shafts, universal joint shafts, conrods and cylinder liners.	
÷	.5.	Events on Airfield:	
25X1X		April 1947 test flatour of a line late Harch or early	
25×1×		April 1947, test flying of a jet fighter had been started.  On 1 May 1947,  a second jet fighter  a second jet fighter	25X1X
25X1A		Comment:	
		·	25X1A
	` .	b. The number of people employed in the plant (14,000, i.e. 2/3 of their war strength), seems to be credible. In previous reports figures of 17,000, 15,000 and 10,000 had been mentioned,	:
25X1A		SECALT	

Approved For Release 2002/08/15 : CIA-RDP83-00415R0 0900070006-7

# 172 Aircraft Engine Plant No. 24 in KUIBYSHEV


### Legend:

SHAD BUILDING

Only the most important buildings are entered. RR tracks could not be indicated by source with certainty.

- "Restricted Area", enclosed by fence 1 Final assembly (erecting shop) Test stand
- "Free Area" Manufacture of components, about 600 machines 1 Hardening shop, manufacture of tools and gages Unknown
  - Forge
  - Numerous small store buildings

  - About three or four semifinished shops, rusty iron structures
    Scrap yards and several old, unfinished shops



scale 1:14,000

- well-the later programme and account to the later	CLASSIFICATION SUCHEE	25X1A
COUNTRY	Approved For Release 2002/08/15 CIA-RDP83-00415R010900070006-7	
6 .	reraft Engine Plant No 24 in KUIHYSHEV-BEZYMANKA	25X1A
25X1A		
EVALUATION	PLACE OBTAINED	
DATE OF CO	ONTENT	
DATE OBTAIN	NED 25X1A DATE PREPARED 20 December	
REFERENCES		an one production
PAGES 2	ENCLOSURES (NO. & TYPE)	en vieren Standard
Ĺ		No. No. Collection of the Coll
,		neier auffil ar men eine zusten <u>aus</u>
5X1X		rine indicate in Augus accusa;
La reduce de la companya del la companya de la comp		1
1.	in three shifts.	25X1X
3.	objet power units for jet fighters, according to Soviets. All Pws were eliminated from the working process.	
5X1X	a. In-line engines were sent to the adjacent airframe plant Soviets said they were intended for IL-2.	
	b. Tractor engines were also sent somewhere in the vicinity of the plant as the trucks returned after a short absence (as under 3a).	
	CLASSIFICATION SECRET	25X1A

SECRETApproved For Release 2002/08/15; CIA-RDP83-00415R010900070006-7

OMNEY CC

- 4. Labor: (Soviets statements) ter thousand to twelve thousand people:
- 5. Work time: In component parts production: Three shifts.
  Assembly work, foun dry, workshops and test stands (12 in number): Two shifts.
- 6. Production:
  - a. In-line engines, 10 to 12 perday, allogedly for the adjacent airframe plant (early 1948).
  - b. Tractor engines, but only as by-production.

7.	٠	25X1A

8. After the pring of 1948 there was restricted movement within the plant.

25X1A

### Comment:

- a. The statements confirm previous information on Aircraft Engine Plant No 24 up to the mildle of 1949. \*
- b. The production of both in-line engines (Am-38 or its improved type) and tractor engines at that time is confirmed.
- c. The statements show the decrease in the production of aircraft engines, which during the war, was about 1,100 engines per month, and which dropped to 600 per month in 1947, and to about 400 engines in early 1948. This production of aircraft engines agrees with the dropping production of ground attack airplanes LL-10.
- d. The start of the production of surbojet power units in this plant is dated back to the fall of 1947, as is inferred from reports received up to now, The restriction movement in the plant for PWs, as ordered at the beginning of 1948, has already been mentioned in previous reports and is an indication of the consignment of further parts of the plant to the production of turbojet units.

-		_	
SECRET-			25X1A

	CLASSIFICATION SONF LOCATION Approved For Release 2002/08/15 : CIA-RIDP83-00415R01090	25X1/
1	KEPORT NO.	
	Observations Tade in Aircraft Angine Plant No 24 and at the	Margorina a
25X1/ EVALU		
2	J LAVE ODIAINE!	 25X1A
	RTMNED	20/1/
REFERE	DATE PREPARED 5 ADFII 1950	
PAGES.		~~ <del>~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ ~~ </del>
	ENOCOGONES (NO. & TIPE) & BILLEPRINES	
TALIFICAL S	is	**************************************
<del></del>	Vo. Mills	
	100 1000	
		25X1
	- Production:	
:	a. In-line engines	
	a. In-line engines b. Radial engines	
	a. In-line engines b. Radial engines The in-line engines were trucked to	
	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of Plant No 24 to be installed.	
	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of Plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947 four engine	
2	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of Plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947, four-engine aircraft (single rudder assembly, glazed cockpit) took off and landed at the factory field.	
2 3 X1X	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947, four-engine aircraft (single rudder assembly, glazed cockpit) took off and landed at the factory field.  were of the opinion that the radial engines mentioned in page 2 were installed in these districts.	
2	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of Plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947, four-engine aircraft (single rudder assembly, glazed cockpit) took off and landed at the factory field.  were of the opinion that the radial engines mentioned in para 2 were installed in these aircraft.	
ន 3 X1X	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947, four-engine aircraft (single rudder assembly, glazed cockpit) took off and landed at the factory field.  were of the opinion that the radial engines mentioned in page 2 were installed in these districts.	
ន 3 X1X	a. In-line engines b. Radial engines  The in-line engines were trucked to the factory field 1 to 2 km east of Plant No 24 to be installed there in single-engine air-craft (tail wheel, single rudder assembly).  Beginning in early 1947, four-engine aircraft (single rudder assembly, glazed cockpit) took off and landed at the factory field.  were of the opinion that the radial engines mentioned in para 2 were installed in these aircraft.	

	4.	%ork Force:	
25X1X		30 yiets, including 50 percent men, 30 percent women and 20 percent juveniles. Nork was done in three shifts.	
	5.	production:	
		12-cylinder in-line engines (V-engines).	
	6.		25X1X
25X1X 25X1X	7.	an engineer, was forced to sign a contmact to work for five years in Moscow.	25X1A 25X1X
i			
	8.	The first jet fighter was seen over the factory field in the Summer of 1947. Jet fighters were seen almost exclusively after the Spring of 1948.	
	9.	production:	
		a. 12-cylinder v-engines up to Lorch 1948. They were shipped by roll and road.	
		b. Jet engines after pril 1948	25X1X
		c. Secondary production: .luminum household goods.	
25X1X	10.	50 percent of the 12-cylinder engines were scrap.	
25X1A	11.	loo airaraft, which he believed to be Yak-3s, parked at the factory field.	
	12.	Plant manager: An air force genmaior.	
	13.	ork Force;	
		1,300 men, women and juveniles in equal numbers; three shifts.	
	14.	production:	
		Twenty cylinder heads were washed in the washing plant per shift, which would correspond to an output of five 12-cylinder y-engines per day. Soviets maintained that 60 such engines were produced in 24 hours, which the produced engines were trucked to the statin plant.	25X1A
	15.	Rumors:	
		The Pos were scheduled to be withdrawn from the plant in May 19	48.
		COMPIDENTIAL	25X1A

Approved For Belease. 2002/08/15: CIA-RDP83-00415R010900070006-7

15-6:	COMFIDER TAL	25X1A
	3	25X1A
		25/1/
		<b>-</b> .
	This order was put into effect in February 1949. The Pys assumed that this measure was taken because jet engines were to be produced in the plant.  this assumption spart from the fact that the freedom of movement was greatly restricted for the Pys after rebruary 1948.	25X1A
25X1A	Comment:	
	a. Para 1 through 3 cover a period of up to 19 reh 1947 ondy thich is the transitional period after the war. The production of radial engines is considered improveble for that time. The observed radial engines were possibly overhauled and repaired there. Such observations were reported several times for this period.	
	b. The work force as stated in para 4 May refer to the total work force of plants 1,18 and 24.	
25X1C	c. The attached two sketches are not clear enough for an evaluation.	
	d. The aircraft postioned in para 11 probably were not Yak-3s but .11-10s.	
	but their quantity production has certainly not started before the confirmed off-limit zones had been introduced in early 1948. The production of 12-cylinder v-engines of type M-42 or M-45 may have been suspended in the Summer of 1948, at the latest in early 1949. These engines were mainly produced as reserve engines.	
	2 Annexes: 2 Blueprints.	
		•
•		•

CONFIDENTIAL

Approved For Release 2002/08/15 : CIA-RDP83-00415R0	<u></u> 109 <b>0</b> 00 <b>7</b> 0006-7 25X1A
GOUNTRY Soviet Imion REPORT NO	
TOPIC Plont No 306 to SARATOV	NATIONAL MANAGEMENT, LET SEEM ENTITIONS ENTITIONS AND CONTRACT OF MANAGEMENT AND CONTRACT AND CO
25X1A	25X1A
EVALUATION PLACE OBTAINED -	geometric production of the contract of the co
Date or court	MANGGORDON MANGGORDON IN THE MEANING PROCESSION OF AN AREA OF STREET, AND AREA OF AN AREA OF STREET, AND A
MAE OBTAIN TO	ecember 1949
NEF ENLINOLO_	amenta antende trova in ancian selamban antende de material antende trova ser remede (n.y. 1800 1815) e trovada
PAGES 2 ENCLOSURES (NO. & TYPE)	ten. Chapte de a re-aud-montain magnetic las habe quantinas anna brouders per maniers - man, à represent ann commerciagnes restaurants de la securitar de la s
REMARKS	25X1A
mayor timos de indicator de ind	-add 1 Salas and American Pro-
And Evaluation to the control of the	MATERIAL PROPERTY AND ASSESSED TO A TABLE OF THE SECOND PROPERTY AND ASSESSED ASSESS
Forest of the forest and the first of the contract of the cont	general de la composition della composition della composition della composition della composition della composition dell
	25X1X
	25/1/
d de la completa del completa de la completa del completa de la completa del completa de la completa del completa de la completa del completa	
1. Location: No new information.	
2. Designation: Aircraft Ergine Plant 40 506	
3. Pabor: Day shift about 1,500 Soviets, the translates about 700 Soviets each.	no might
4. Production:	
a. Magnetoes for 9 and 12-cylinder engines, eates. About 150 units per day, from which lot of waste"; about 50 percent for tractor quality units for aircraft angines	GIIGI O WELL
b. By-products: Loudspeakers for radio set	3.
$c_*$ "nknown production in ell-limits parts of 180 x 260 feet.	n' werkshop,
5. Arrival of numerous unfinished German machin 25X1X 1948.	nes by late
6. Mane: Plant No 306.	
7. Labor: Total number about 2,000 to 5,000 Sor 50 percent women; 3 shifts.	viets, with
8. Production:	
a. Radio sets about 25 to 30 per week.	

CLASSIFICATION SECRET-

b. Magnetoes for aircraft engines

c. Other production; boxes locked for transport, so no observation possible.

Genment:	
repositioners and a supportunity agreement to	ш

- a. This report confirms previous data on Flant No 306 without indicating the exact type of the magnetoes in question.
- b. It is assumed that the manufacturing operations in the off-limits part of the workshop is for an electric component in the field of radio manufacture.


MCHET.	25X1A


NOUTHING -	Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7 25X1A
	Aircraft Accordanted Plans to 200 to the firm
7 O 1 TO measurement	
EVALUATION	25X1A 25X1A 25X1A
DATE OF CO	205.740
DATE OBTAI	AND THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY A
REFERENCE	and the Cold to th
	SS
VEMPUNO	
To COMB BERTHAMARI ERROR SANSFERMAN ARRESTAN	The second secon
on the state of the control of the state of	
25X1X	
-3	
-l-c	Location:
1.	Location:
J., c	Location: Geo references. * and **
	See references. * and **
2,	See references. * and **  Plant installations:  See sketch 1
	See references. * and **  Plant installations:  See sketch 1  Name:
2,	See references. * and **  Plant installations:  See sketch 1
2,	See references. * and **  Plant installations:  See sketch 1  Name:
2,	Plant installations: See sketch 1  Name: Lagneto Plant No. 306.
2.	Plant installations:  See sketch 1  Name:  Lagneto Plant No. 306.  Lanagement:  Soviet civilians but two technical air force officers, a major 25X and a first lieutenant, were constantly present. Commissions of civilians and officers appeared monthly the officers were tank officers (headwear and two-colored uniforms).
2,	Plant installations:  See sketch 1  Name:  Lagneto Plant No. 306.  Lanagement:  Soviet civilians but two technical air force officers, a major 25X and a first lieutenant, were constantly present. Commissions of civilians and officers appeared monthly the officers were tank officers (headwear and two-colored uniforms).  Lork force:
2.	Plant installations:  See sketch 1  Name:  Lagneto Plant No. 306.  Lanagement:  Soviet civilians but two technical air force officers, a major 25X and a first lieutenant, were constantly present. Commissions of civilians and officers appeared monthly
2.	Plant installations:  See sketch 1  Name:  Lagneto Plant No. 306.  Lanagement:  Soviet civilians but two technical air force officers, a major 25X and a first lieutenant, were constantly present. Commissions of civilians and officers appeared monthly.  Lanagement:  Soviet civilians but two technical air force officers, a major 25X and a first lieutenant, were constantly present. Commissions of civilians and officers appeared monthly.  Lock force:


	CORPEDENTESS
	3-hour shifts. (This figure does not include administrative personnel.) About 70 percent of the Soviet workers were tomen. About 600 were working in orkshop 1 and about 150 in torkshop 2, the tool-making shop.
25X1A	enlarged. the rlant was to be considerably
6.	Freduction:
	(see also sketches 2 and 3).
	a. Lagnotoes for tractors (tanks?) and nineralt. There were two types of magnetos, one 300 mm long for tractors and aircraft, the other 100 mm long for aircraft,
25X1X	cent of the total production was sent by roll to Stalingrad. Air-craft magnetoes were trucked to the airfield and from there shipped by plane to Moscow.
	b. blectrodynamic loudspeakers, 200 mm in diameter. They were produced in a special section, housel in orkshop 2. About 20 men and 30 women, only Soviets, worked there.
7 :	<u>Sumplies</u> :
,	Steel, iron and light metal arrived as ingots by rall (scrap was not used).
* 3 &	Factory rolice :
	Thirty armed men and to on wearing civilian elothes were on duty in each shift. The plant was surrounded by a 3-never concrete wall with six watchtowers inside.
9.	Power supply :
	From outside.
20.	Production:
	(a) Llectric measuring instruments and low-speakers, were shirped to Hoscow.
	(b) Furniture which was trucked to Saratov.
	SPLIORCE.
	Three thousand Soviets, three shifts.

4 4 4	·
12.	Production :
	a. Lain production :
	Bosch m gnetoes, 3,000 units per month.
	b. Loudspeakers, furniture, dishes, distributor casings for notor vehicles and electric small parts.
X1A	Cognant:
	On the whole the above infernation is considered correct and was confirmed by previous infernation. 4 and ** The production figures for 1947 are considered oversted. A previous report * stated, however, that 300 units of each magneto type were produced daily. The production of loudspeakers was repeatedly confir ed. The production of furniture, electric small parts, etc. may have been performed in Firniture Factory To. 213 adjoining the above plant to the couth. * Aircraft instrument panels were also produced there.  The enlargement of the plant was not confirmed for 1947 and 1945.
	3 Annexes: Aircraft Accessories Flant Ro. 306 in Zaratov.
	Legend to Annex
5X1X	Coundry with 4 gas-fueled smelting furnaces for the production of light-metal cases and iron cores for the magnetoes  Forge with three steam hammers, 4 gas-fueled annealing furnaces, two 180-ton presses, and four 50-ton presses
	2 Meetrical workshop on the first floor for maintenance work,
	Garpentry with pattern-making shop on the second floor. 25X1X
	3
	4
	requirements were produced and maintenance work on macaines has done, Loudspeakers agree are need in a special section.
	5 Central warehouse for the storage of materials and finished products.
	6 Bollerhouse with 3 gas-fueld boilers for the gentration of steam and heating of the installations.
	CONFIDERTIAL 25X

• COMPANY TAX Approved For Release 2002/08/15 ; CIA-RDP83-00415R010900070006-7







scale 1.1

OUNTRY 1	ুট্র ১৯৪৪ ট্রেন্স বিজ্ Approved For Release 20 ৪০ছা এক Union		3-00415R01090007 EPORT NO	0006-7	25X1A
- , '	ed Construction of 47			: r	
•	25X1A	Principal Control of the Control of	na triang and a title at the second transfer of the second and a second transfer of the second and a second and the second and	- PME with 1999 - MEMERICAN TO A STATE OF THE STATE OF TH	ANA COMMENT MATERIAL CO.
EVALUATION		OBTAINED		25X1A	Min Andrés Wilder
DATE OF CONTI		The first registration and property and prop	25X1A		w. infentional 編献が!
UATE OBTAINED		25X1A	6 January	1040	hiller dillitario I. no mon se
REFERENCES_	· mad	LDATE FREMAKED	CONTRACTOR OF THE CONTRACTOR O	S. T. May J. Standard S. Marieron of April 1991.	er dineane, et regajn ç
	ENCLOSURES (NO. & TYPE)	and the second section of the section of t	Statement with the half of other son deliberation for a few engineers.	THE PART OF THE ANALYSIS AND AND THE TOWN THE PROPERTY OF THE PARTY.	office and growing
REMARKS	RETURNAL TO GIA				Name (Albaha Mila) - Nambarris
1   La Print   1 \ La Print   1   La	and a married and a conference special inflation received in the second of the second conference with the second of the second o	ener in der de instrucción de la compresención de la destación		-month for statement with the exclude we as a group	nd refridon de salve e
<b>мастия. Чинк</b> Ч <b>анні</b> віствення акомік ізкін <sub>ас</sub> касустудаць.	The filtre	Madellerine has belieber vallebille besteutsteer in ny syn by s	70° Ard Privid 20°, (di antestina e la qui piante d'abacción incidio a la que	And with residence and a state the state of the state o	eter notada do Mil Modelo
BY MARTING - MARTINE THEY ligh - HP CHROLIS STAND A Laurent Laurent And Laure Life (a	The same of the sa	dati Tanbakin arand adri 15 datah <del>dalam yang da mak<sup>a</sup>nti dalam aran data yantan 17 d</del>	de det de mande de commence de commenc	i. Brins eller der villerderde freit des ir delektions i antiller mit die villestade pros	COMPANY SERVICE AND
25X1X	ton summittees in the segment interest that the segment is a superior of the billion segment of the billion is the segment of	Million Million (Million County) - State of Alberta County (Million County)	V Scaliffication (Adv. aproximation on Various Americans), a single processing a subsequent April (April (A	· · · · · · · · · · · · · · · · · · ·	THE WALLAND
-0/(1/(					
25X1X					
*	cue nrat mean OSDSHOM	KIDSE Heavy M	achinery Plan	oncerning t the	
	Collowing indications in SV_ROLOVSK (62°5'E/	of the product	don of a rera	ft engines	
	1. August 1947	. , , , , , , , , , , , , , , , , , , ,	2 - S124. V		
	Principal Hills and a stranger than it has been a strain as		·		25X1X
	called casings were	sent from the	tank engine		23/1/
	of the plant to the	MOLOTOVI. IC	art Plant.		
	2. September 1947		<u>.</u>		
	Department No. 2 of duced aircraft engi	the Grainash ne parts.	Plant among o	thers pro-	
	J. <u>Hay 1948</u>				
	There was a plant a Plant, where tank a	bout les miles nd sircuaf; en	west of the gines were pr	Uralmesh oduced.	
	1. July 1948				•
	The engine departme	nt of the Ural	mach Plant pr		LEGIB
				"	LLGID

		8.0.0.2.1/	23/1/
		and aircraft engines, a total of about 150 anits per day.	
	5.	July 1948	
25X1X		there was an aircraft engine plant in SVERDLOVSK, about 1.3 miles from the Uralmash Plant.	
	5.	September 1943	
25X1A		an aircraft engine plant, on which no further details were available, was located about 4 miles south to south-southeast of the Urainach Plant, slightly outside the parimeter of SVandboySK.	
25X1A		Comment:	
25X1A		a. The alleged sircraft engine plant located between the Grahmash Plant and SVERDLOVSK was previously mentioned.  This plant was allegedly built between 1945 and 1947. Its existence is not yet confirmed since the information.  Is based on hearsay.	25X1X
		b. This report makes it probable that an aircraft engine plant or at least an oircraft engine repair plant is located in SVLRUMOVSK.	25X1C

COUNTRY	Approved For Herease 2002/08/	MEPURI	NU.	
TOPIC	tishchevo Compressor Sta	tion		THE REAL PROPERTY AND THE PROPERTY AND T
<u> </u>	5X1A	S.S. R.E.S. Miller of Mark 1 July 1845 COS, Assessive Inc. Miller on Spring of the 2 July 19	25	X1A
EVALUATION	PLACE OF	BTAINED	25X1A	
DATE OF CONTEN	JT	25X1C	E-carles due 1-manuel à actendration de la constitution de la constitu	MATERIAL PROPERTY AND THE PARTY AND THE PART
DATE OBTAINED_		TE PREPARED 23	June 1050	
REFERENCES	in the definition requirement and products to		Militarian et de la promiamantamente la judiciació contentidad estimativamente.	
PAGES	ENCLOSURES (NO. & TYPE)	and the control of th	DECEMBER OF THE STATE OF THE ST	
REMARKS	PARTIES A PART OF THE CONTROL CONTROL CONTROL AND A CONTROL OF THE CONTROL CON	THE SECTION AND ADDRESS OF THE SECTION ADDRESS OF TH		
	naturament soon sever-demonstrate, & quantum som avagender agestedende at a sambenderserren	the programment of the contract of the contrac		
and the second s	reservite des conservations and a second of the contract of th	aksigensinks till sindhelitiske, metter ettilleride mehr vinns untart strustaus standslags av. ga """"""""""""	en variable de valorie de bandapata. Aprilia de la companya de la companya de la companya de la companya de la	
COLUMN TO SERVICE TO SERVICE THE SERVICE T			. 3°	
	25X1X	an makan katan katan katan da dalah dan mana kapan kan kan kan dan dan dan dan dan dan dan dan dan d	меньопинен общине вышения» — февыня, авключення вы — ф. — Аргания общения	amenik Artiklis Antikir munyan musi ngapa akkaran Jig
	_			
. 1	The Rtishchevo (52015) Compressor Station is Rtishchevo west of the (51.034) R/460214).	some kilometers s	Olitheast of	
2.	The compressor station installation, a separate a compressor house, a paragraph and annex building, a depot, a storagrand housing facilities	ting station, a p power station, va ngs, an administr o shed, a garage.	ressure-Nump work rious work. ation build	•
3.	The waterworks supplied the compressor station linder V-engines of Amehas two Diesel units all parating installation leads to the compression of t	is equipped with erican make. The lso of American m	four 10-cy- power station ake. The se-	
	two or three small boi	lers.	(; =	
4.	two or three small boil  The compressor station	lers.		
<u>a</u> .	two or three small boil	lers.		
4.	two or three small boil  The compressor station	lers.		
<b>4.</b> .	two or three small boil  The compressor station	lers.		
<u>a</u> .	two or three small boil  The compressor station	lers.		
<b>4</b> . °	two or three small boil  The compressor station	lers.		
<b>4</b> .	two or three small boil  The compressor station	lers.		
4.	two or three small boil  The compressor station	lers.		
4.	two or three small boil  The compressor station	lers.		

unter a chieff i i beune des das Millerans.		08/15 - CIA-RDP83-00415R010900070006	-7	25X1A
COLNTRY.	Soviet Union	REPORT NO		ratiger .
TOP'O	Iron torks to 44 in Mazan		name at the second	MASS SHIP Medical (a sealachtasch)
- Martin and anti-state of the property of the	25X1A		25X1A	
EVALUATIO	NPLACE	OBTAINED 25X1A		
DATE OF C	CONTENT.	25X1C		1
DATE OBTA	NNED	DATE PREPARED 17.00011 1950	randow who were a superior of the superior of	de unique unique po-
REFERENC	ES		reads the resourcements the second state of the second second	de tos thereforeseppey.
PAGES	1ENCLOSURES (NO. & TYPE	) i sketch on ditto		
REMARKS.		MARINGANIONNI MONTO IN THE STATE OF THE STAT		
		,	and als inclusives a second or respective group and an angelone.	-
			Parties and the second	***************************************
			Mitterials — Антиверский подоста по и верхняй се продуст	NEW WEST A WISHOUTH THE STREET WAS
25X1X	n van (187). W.Ch. turtterin te jalligveld für vinnerstatelsekkrisis döcurenttation, dust traditionen sportigi (1928) diese röbbe	Al-Med 48.8 killer albitryj (10.04,444(6),18) -d. hill 194 och delsee rigettee-nasteriatis helicipa de dels	eranter rauragunar, i errante alprojatoriaje i salbolatoria filosofic	7
	Location:			
4.		omir plant, is in hazan (49°08%/55	O. r. c.	
	ASSE, about 270 meters norther of the local sastle.	mir plant, is in nazan (49°0.05/5) ast of a railroad station 2.4 45 me	ters southwis	τ
i.	Installations:			•
	house was under construction a	nt which has been modernized. A ne and was being equipped with Genum: ion. The other machines are of bo	machiner,	
	the time when canks were produ	engine casings and tank snafts, wo	atin <sub>e</sub> from e scar <sub>i</sub> .	
3.	dump. c. The plant wrea is 180 x 13 Cork force: out sketch s	55 Leters and has relirond connections in .ex.	on, tor thy-	
	Three smifts with 450 to 500 S of the boilerhouse.	Goviets and 50 MWs assigned to the	construction	
١, ,	Production:			
		rames for larm machinery, Larrovs, other apricultural Lacalnes, and		
25X1A	Co. went:			
	a. This is the first post-war	report on Iron Torks we 44.		
	b. The factory is the former Military Geographical Flancor	tan. repair plant which is entered Kazan of October 1,41.	in the	
	С.	·		25X1C
	1 Annex: Iron Norks No 44 in	kazan.	<del></del>	
	CLASSIFICATION Ju.	rijuktial	7	25X1A

INTELIOFAX 28

Legend

- 1. Single-story whosen administration building, 45 x in meters, with a wing 36 leters long
- 2. Carpentry, 36 x 18 meters
- 3. Second foundry for brase and light metal castings, 18 meters long, enuipped with many small furnaces
- 4. Forme, 27 A accepters, with two admealing furnaces and two three-ton air mass ers
  - a Transformer station
- 5. Large foundry and forming department, 73 x 27 x 20 deters, with three furnaces  $7_{\rm c}^1$  x  $7_{\rm c}^1$  x 11 meters each
- 6. Building 55 x 18 meters with
  - a Kitchen
  - b First aid station
- 7. Ingot storage shed, 36 x 18 meters
- E. Large lathe department, 55 x 16 meters with about 10 marge lathes (4 maters long) and other machine tools
- Boils house, 45 x 27 meters, iron and brick structure resting on reinforced concrete foundations; equipped with several boilers. It meters long and 4 meters in diameter with a metal funcily meters high and 4,5 meters in diameter.
- 10. Mooden storage shed for metal, 36 x 13 meters
- 11. Shall Lathe department, 37 x 9 meters, with a shall attached wing, equipped with 33 shaller machine cools.


A. FIDECTION	

- CONTROLLED DISTRIBUTION

Annex

25X1A

Iron Works No. 44 in Kazan



Legend: See report

ILLEGIB

	2002/08/15 CIA-RDP83-00415R010900070006-7	25X1/
and the second s	REPORT NO.	
TOPIC G11 Sources and Po	wer Plant near Yablonka	PROJECT WARRY Trans
25X1A	25X1	Α
EVALUATION	PLACE OBTAINED 25X1A	The second second
DATE OF CONTENT_	25X1C	C MANUFACTOR AND ALL REPORTED
DATE OBTAINED	E PREPARED 29 ay 1950	And the State of t
REFERENCES		Approximately from the control of th
PAGES 2 ENCLOSURES (NO. 8	TYPE) 2 sketches on ditto	Providence (1989 August 1885 August 1885) and August 1885 August 1
REMARKS		
		referencessage/www.usspecialistics.or/specialist (in the consistence)
	PROCESSOR CONTRACTOR CO	Mentical annual control of the Contr
25X1X	The street and a property of the street of t	Produkti pila sa ngolo (200) dilak akudi alila into 3 milijingan
l. Location:		
	bank of the Volga Aiver, about 23 shnoye (49°24'I/53°24'I), Auityshev ation see Annex 1.	
2. Observations:		e e e e e e e e e e e e e e e e e e e
the south. The 1944 and 1948, with three small picsel engine.	ant was about 1,300 meters south of east of the road from Yablonka to main building, constructed between was first but into operation in 1945—1 German desal engines. A large with the banacity as the other three ed operation in August 1948. For each make 2.	
road in a valley collecting tanks one about 400 me other one about the tanks, about in diameter, mer lines. 15 to 20	were some loo meters west of the were some loo meters west of the Two groups, each with three oil were in the center of the valley, ters south of the Volga adver, the 600 to 700 meters south of the Volga. 10 to 15 meters high and 8 meters e connected to the derricks by pine on in diameter. A pipe line led from improvised pier and filling station he Volga.	
CI ACCIPIOATION		
CLASSIFICATION CO.	Librar W.T., L.	25X1A



CONFIJERTRAL	25X1A
= 2 =	
Only one tanker, about 60 meters long and 10 to 15 meters wide, could be filled at a time. Impty tankers were about 2½ meters above water level while filled tankers were only one meter above the water.	
fork force:	
about 1,000, 50 percent women.	
roduction:	
ligh grade (pure) oil from a depth of 100 meters. Output was not known. Any increase in production was not believed possible as no new constructions were observed.	
Comment: This report is the first to give information on the power plant and oil field installations near Yablonka. Although extending over only a small area, the oilfield is one of the most productive of the Stavropolneft company. The diagrammatic location sketch (Annex 1) conforms to previous information. The sketch of the power plant is unconfirmed.	
2 Annewes, sketches on ditto.	
, Amickes, Skottes of allow.	
COMPIDITIAL	25X1A

COMPIDENTIAL,			25X1A

## legend to Annex 1:

- 1 Power plant, for details see annex 2
- 8 Cilfield with approximately 15 derricks
- Two groups each with three oil tanks, 12 to 15 meters high, 8 meters in diameter, connected to the derricks and to the pier by underground pipe lines
- 4 Oil collecting basin
- 5 Jump house
- a Improvised pier for tankers
- 7 Asphalt road, 5 meters wide, along the river bank, blasted into the rock
- 8 Pd camp No. 7399/G
- 9 Road to Pastroika, completed on 20 September 1949


COMPANIATIAL	25X1A

### Accessories Plant to 481,    Samufacture of Aircraft Parts in Syzran.   25X1A	false P	Page 10 Company of the Company of th	e 2002/08/15 : CIA-R <del>DP8</del>	AUSTREA OTT 110 TOTAL AUSTREA		
EVALUATION 25X1A PLACE OBTAINED 25X1A  DATE OF CONTENT 25X1C  DATE OBTAINED DATE PREPARED 29 June 1950  REFERENCES  PAGES 1 ENCLOSURES (No. & TYPE)  REMARKS  1A 1. aircraft parts were manufactured (48°30°E/53°11°E) during the war.  25X1A  25X1A  25X1A  25X1A  25X1A  25X1A  25X1A  25X1A	1037 No animate meson commencement	orner Alrerait A	oceasories Plant	No. 481,	-BUREAUCERINAMUL (BROKEN - ANN) - ALL BEI PARMIN	MARKEN, SHOWN TO AN AREA OF AN
EVALUATION 25X1A PLACE OBTAINED 25X1A  DATE OF CONTENT. 25X1C  DATE OBTAINED DATE PREPARED 29 June 1950  REFERENCES  PAGES 1 ENCLOSURES (No. & TYPE)  REMARKS  1A 1. aircraft parts were manufactured (48°30°12/53°11°13) during the war.  25X1A	va - vid v etilindiretti en v sin-skurval enerindiretti, av vitad distributio anavalisti	anufacture of Ai	reraft Parts in S	yzran.	<u>· 25X</u>	<u>1A</u>
DATE PREPARED 29 June 1950  REFERENCES  PAGES 1 ENCLOSURES (No. & TYPE)  REMARKS  1A 25X1)  1A 2. aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30°15/55°11'N) during the war.  2. 25X1A  25X1A  25X1A  25X1A  25X1A						>2000/100-00-1
DATE PREPARED 29 June 1950  REFERENCES  PAGES 1 ENCLOSURES (No. & TYPE)  REMARKS  1 in the local agricultural machine plant in Syzran (48°30°18/55°11°18) during the war.  25X1A  25X1A  Comment. Report probably concerns Plant To. 481 in Syzran. This plant has been in existence since 1941. It produced sircraft parts and agrees			25X1C	CORE S SOCIETA NO. CASE COMPANIES		
PAGES 1 ENCLOSURES (No. & TYPE)  REMARKS  1	DATE OBTAINED	. •	DATE PREPAI			
PAGES 1 ENCLOSURES (No. 2 TYPE)  REMARKS  1. aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30'E/55°11'K) during the war.  2. 25X1A  25X1A  25X1A  25X1A  25X1A  25X1A						MALINE RECORDAL STATEMENTS &
25X1)  1A  2 aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30'E/55°11'K) during the war.  2.  25X1A  25X1A  25X1A  25X1A  25X1A						accided mental mark is remaining as a
25X1)  1A  1. aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30° 15/53°11°N) during the war.  2. 25X1A  25X1A  25X1A  25X1A  25X1A						
25X1)  1A  2 aircraft parts were manufactured in the local agricultural machine plant in Syzran (48030'M/550'll'N) during the war.  2.  25X1A  * Comment. Report probably concerns Plant to. 481 in Syzran. This plant has been in existence since 1941. It produced sircraft parts and a cess	REMARKS	1 PROCES AC MIQUE CARROLL ON EMPOUNT, INVESTMENT LICENSES, AL MINISTER, LECTUR DELECTE SALES.	et ochstanden utgen, utgeträmet utberändigte ettergen der före åller ved däteren stom et en re	MARKET WIRE (III of BIFFE TEMPERATEDIAL POPCY) (MARCH TOTAL ARE)	t и то междун жана канарадын жана кар да байын жана	
25X1)  1A  1aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30'E/55°11'K) during the war.  2	Committee of the committee of the control of the co	PRESIDENT AND	COLTENTIAL DOCUMENT LANGE SERVICE SERVICE SERVICE AND A COLUMN SERVICE	not sittly at standard appreciative stappers at the temperature makes as class stage ( ); g	Prog B village of administration of the College of Section 19	hari mal manda minor di miningga daga da
25X1)  1. aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30'E/55°11'N) during the war.  2. 25X1A  25X1A  25X1A  25X1A  25X1A  25X1A	MEM MA MATERIAL CANADA	ARGERIANISTICANES IN PRINTES ENVIRONMENTAL VICTORISTY 1991 (MAIL-1771 1994 (MIL) TOTAL TRE	PALL II KTONIO PIE SELVENIO SALION SASSI AND LANG COLO METABORICO PROGRAMO COLO COLO COLONIARISMO COLO	reliande entre entre en en entre servició de la labora receitad de entre el como como en el como como entre el	ACRECITY IN AN ENGLISH OF A CRESSIVE CORE OF AN ENGLISHMENT OF A CRESSIVE CORE OF A CRESS	ments com marcan analysis (com
25X1A  aircraft parts were manufactured in the local agricultural machine plant in Syzran (48°30'M/53°11'N) during the war.  25X1A  Comment. Report probably concerns Plant No. 481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access	ти потрава. Да <b>зарожнич</b> ата, въз за запатот на запатот за пата за постава	Savesternada memberuar mandenkan yangkar di senarak mengalan sulah salah dalah dalah s	on the second section and second to decide the second section of the second section is the second section of the second second section	e "Todisaloner eller Turker maks allene lettaktikki jahkena yervar saysidis 1920v	entremondustric first transferenceises or feetile enteres	n fanta i sen spood pri nedpolingsvalg v
in the local agricultural machine plant in Syzran (48°30'E/53°11'N) during the war.  2.  25X1A  Comment. Report probably concerns Plant to. 481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access		· · · · · · · · · · · · · · · · · · ·	· ·	*		25X1)
in the local agricultural machine plant in Syzran (48°30'E/53°11'N) during the war.  2.  25X1A  Comment. Report probably concerns Plant No. 481 in Syzran. This plant has been in existence since 1941. It produced sircraft parts and access						
in the local agricultural machine plant in Syzran (48°30' E/53°11'N) during the war.  2.  25X1A  25X1A  Comment. Report probably concerns Plant No. 481 in Syzran. This plant has been in existence since 1941. It produced sircust parts and ages.					* .	
in the local agricultural machine plant in Syzran (48°30' M/53°11'N) during the war.  2.  25X1A  Comment. Report probably concerns Plant No. 481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access	4.4					
25X1A Comment. Report probably concerns Plant to. 481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access	.1A ***	in the local a	zricultural machin	ne plent to Sw	ured Fran	
25X1A Comment. Report probably concerns Plant Ro. 481 in Syzran. This plant has been in existence since 1941. It produced sircraft parts and access		(48°30' E/53°11	'N) during the war	C	*	
481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access	2.					25>
481 in Syzran. This plant has been in existence since 1941. It produced aircraft parts and access						
since 1941. It produced aircraft parts and access	057/44	Comment.	Report probably	concerns Plant	Wo.	
sories during the war.	25X1A		This plant has be	en in existent	10	
	25X1A	since 1941. It	produced aircraft	t parts and acc	163⇔	•
	25X1A	since 1941. It	produced aircraft	t parts and ac	263⇔	25>
	25X1A	since 1941. It	produced aircraft	t parts and a	<u>} ⊝ 3 ⇔</u>	25)
	25X1A	since 1941. It	produced aircraft	t parts and ac-	<b>2 ⊝ 3</b> ⇔	25)
	25X1A	since 1941. It	produced aircraft	t parts and ac-	<b>. ⊝ 3</b> ⇔	25)
	25X1A	since 1941. It	produced aircraft	t parts and ac	<b>63</b> ==	25)
	25X1A	since 1941. It	produced aircraft	t parts and ac	163 m	25>
	25X1A	since 1941. It	produced aircraft	t parts and a	163 es	25)
	25X1A	since 1941. It	produced aircraft	t parts and ac	( <b>6 3</b> €	25>
	25X1A	since 1941. It	produced aircraft	t parts and ac-	163 m	25>
	25X1A	since 1941. It	produced aircraft	t parts and a	(63 es	25)
	25X1A	since 1941. It	produced aircraft	t parts and a	( G 3 es	25)
	25X1A	since 1941. It	produced aircraft	t parts and a	163 es	25>
	25X1A	since 1941. It	produced aircraft	t parts and a	( G 3 es	25)


confrolled distribution


COMIT ANTIAL

Annex 2



COMPIDATIAL





#### Approved For Release 2002/08/15: CIA-RDP83-00415R010900070006-7

•	SECRET-	25X1A 25X1A
Legend:		

- l Railroad line to Petropavlovka.
- Three salt mills where the salt-carrying trains arriving from Paskuntshak Salt Lake are unloaded and Volga vessels are loaded.
- 3 Two fuel tanks, painted white, each about 8 meters high and approximately 3 meters in diameter.
- 4 Joinery of the shippard in a shed-like wooden building.
- 5 Fr-camp outside the shipperd.
- 6 Supply sheds.
- 7 Sawmill of the shippard in a shed-like wooden building. The sawmill has a saw-frame.
- 8 Lumber yard.
- 9 Administration building of the shippard in a shed-like wooden house.
- Three floating docks, length 200 meters, width 20 to 25 meters, depth about 15 meters. Each equipped with two Diesel pumps. To pump a dock empty took a day. The docks were made of wood.
- 11 Petropavlovka power station supplying shippard and salt mills.

SECRET.		25X1A

CONTENT Second Report NO.  FOPIC Derbyshki Optical Plant  EVALUATION 25X1A PLACE OBTAINED 25X1A  DATE OF CONTENT.  DATE OPTIMED 25X1C
25X1A  EVALUATION 25X1A PLACE OBTAINED 25X1C  DATE OF CONTENT. 25X1C
25X1A  PLACE OBTAINED  DATE OF CONTENT.  25X1A  PLACE OBTAINED  25X1C
DATE OF CONTENT. 25X1C
The state of the s
DATE OPTAINED DATE DEPARTS OF THE TOP
DATE OBTAINED DATE PREPARED 21 July 1951
REFERENCES
PAGES T ENCLOSURES (NO. & TYPE) 2 -sketches on ditto
REMARKS
5X1X
<ol> <li>This plant produced magnifying lenses, prism glasses, optical sights for artilled and range finders for the Navy. Also, this plant allegedly manufactured ballistic directors for AA, periscopes for submarines and regulating instruments for enging.</li> <li>The plant employed approximately 2,500 workers, of whom 30 to 40 percent were well as the plant employed approximately 2,500 workers.</li> </ol>
Work was usually done in one 10-hour shift, although some departments occasional worked a two-shift schedule. The plant was protected by a fence, armed plant mil and MVD units. **
Comment. For location and layout sketches of this plant, see Annexes 1 ar  A agreed on the location of this plant. The layout sketch is based on information from
X1A ** Comment. This plant is the former "GONS" (National Optical Mechanical Plant No. 349 in Leningrad which was moved to Derbyshki in August 1941 and assigned the numerical designation 237. In 1945 and 1946, the plant was expanded and moderniz with dismentled equipment from the Leiss Plant in Jena (Y 51/J 66).
2 Amexes: 2 - sketches on ditto.
CLASSIFICATION CONFIDENTIAL 2

Approved For Release 2002/08/15: CIA-RDP83-00415R010900070006-7

Annex 1

Location Sketch of the Derbyshki Optical limit

Location Sketch of the Derbyshki Optical limit

Legend:

A. Kazas.

B. Volga River.

C. Kazaska River.

D. Fivuleta.

R. Railroad limit to Sverdlovek.

P. Beilroad limit to Sverdlovek.


P. Beilroad limit to Sverdlovek.

R. Railroad chatican near the army dapot.

R. Dptical plant.

25X1A

Layout Sketch of the Derbyshki Op



Legend: See next pages

CONFIDENTIAL

18. Lens and prism-grinding slop.

19. Wess hall building. 20. Slagstone factory.

•	
	CONFIDENTIAL 25X1/
Le	end s
A,	Derbyshki railroad station.
Во	Railroad line to Kazan.
C,	Railroad line to Sverdlovsk.
De	Derbyshki.
E o	Wide highway.
Fo	PW- Camps 7119/3 and 7119/5.
G.	Kolkhoz farms.
II o	Marrow-gauge railroad line to the peat-digging site.
I.	Optical planto
	1. Gate guard houses.
	2. Automobile repair shop and garages.
	3. Coal and peat-fired heating plant with smokestack.
	4. Foundry.
	5. Carpenter shop.
	6. and 8. Administrative and technical offices, three-story structure.
	7. Workshop.
	9. Workshop building under construction.
	10. Administration building, about 30 x 30 meters, wooden structure.
	11. Machine shop with administrative and technical offices.
	12. Storehouse, about 25 x 15 meters, wooden structure.
	13. Ramps.
	U. Cpen-air transformer station,
	15. Varehouse for raw materials.
	16. Warehouse and shipping department.
	17. Warehouse and acceptance station.

CONFIDERTIAL 25X1A

CONFIDENTIAL,			25X1A 25X1A
	as 3 m		

- 21. Forge.
- 22. Narrow-gauge railway.
- 23. Wide-gauge spur tracks.

ONFIDENTIAL,	25X1A
CALL TO THE STATE OF STREET	,

Approved For Release 2002/06/ COUNTRY <u>U.S.S.R.</u>	75: CNA-RDP83-00415R0109000700 25X1AREPORT NO	106-7
TOPICDerbyshki Cotical Plant		5X1A
ALEPSY MINERAL TO ME MANAGEMENT AND		
EVALUATION 25X1A PLACE O	BTAINED	
DATE OF CONTENT_	25X1C 25X1A	
DATE OBTAINED	DATE PREPARED 21 July 1	
REFERENCES.		лд <sub>(</sub> убивення мейти) - полот обто - полот, о то доместийся админення из админента общенования. Сощенования (дом
PAGES T ENCLOSURES (NO. & TYPE)	2 -sketches on ditto	в под
		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
012	MERCHE PROPERTY AND THE	4949 Elvichte datum. Justin die Krisseln, Liedenstelnerkeiner, der in debesticher in den zugen wich geschte gew
2112W 184	Madayuya, iya Maradii dahan dahaqa Mambayuy (Yana Lu anna Kossi) yaar Jana Lethadii Meessa dah qabay daha dah qa sa	Ministration (Ministration of Countries and American Countries and American Countries (Ministration Countries Countr
BE LEGISTON	ara yurun (ala) isida diguna disebat diket. Turungdan kada jing badan baharat andalah kala bergapa da di	An emile (Continue) in PLEN 2002 (South Consider Prince on Considering Continue (Continue on Continue
- IN-TO-	минального имуну — 240,444 (Субинатубин «В. 1786 мен. Р. 1784 (Субина годинатура — 148,244 (Субинатубина година	errendering andre andre any employed these feeds environment with the contrastion, theretoe we extend the transform of the contrastion of the cont
		25X1X
1. The Optical Plant in Derbyshki (5) Kazan and was adjacent to the Der 19°08'E) — Sverdlovsk (56°111'N/62' was a new plant which had been con foundry, a forge, a lens and prist transformer station and some addi- plant in Kazan. There were spur to  2. This plant produced magnifying lender and range finders for the Navy. Addirectors for AA, periscopes for a  3. The plant employed approximately a Work was usually done in one 10-h worked a two-shift schedule. The pand MVD units. **	byshki railroad station on the OD'E) railroad line. The Derinsiderably expanded since the regrinding shop, a slag-stone tional workshops. Power was stracks to the Kazan-Sverdlovsk nees, prism glasses, optical slso, this plant allegedly manusubmarines and regulating instances.	e Kazan (550k5°N/ byshki Optical Plant war. It comprised a factory, an open-air upplied from a power railroad line. *  sights for artillery ufactured ballistic truments for engines.
(IA information from information	o and 1946, the plant was expe	etch is based on  cal Mechanical Plant)  Land assigned the
2 Annexes: 2 - sketches on ditto.		
CLASSIFICATION CONFIDE	ENT IA I	25X1A

Approved For Release 2002/08/15: CIA-RDP83-00415R010900070006-7

Annex 1

Logend:

A. Kasaa.

B. Volga Birer.

C. Hassake River.

C. Hassake River.

C. Hassake River.

C. Hassake River.

D. Fivuleta.


B. Railroad line to Swerdlowsk.

F. Railroad line to Swerdlowsk.

R. Hailroad station near the army depot.

I. Derbyski railroad station.

K. Optical plant.



Legend: See next page.

CONFI DENTIAL,

<b>:</b>	
CONFIDENTIAL,	25X1A
	25X1A
Legend :	
A. Derbyshki railroad station.	
B. Kailroad line to Kazan.	
C. Railroad line to Sverdlovsk.	
D. Derbyshki.	
E. Wide highway.	
F. PW- Camps 7119/3 and 7119/5.	
G. Kolkhoz farms.	
H. Narrow-gauge railroad line to the peat-digging site.	
I. Optical plant.	
1. Gate guard houses.	
2. Automobile repair shop and garages.	
3. Coal and peat-fired heating plant with smokestack.	
4. Foundry,	
5. Carpenter shop.	
6. and 8. Administrative and technical offices, three-ste	ory structure.
7. Workshop.	
9. Workshop building under construction.	
10. Administration building, about 30 x 30 meters, wooden	structure
11. Machine shop with administrative and technical offices	•
12. Storehouse, about 25 x 15 meters, wooden structure.	
13. Ramps.	
14. Cpen-air transformer station,	
15. Warehouse for raw materials.	
16. Warehouse and shipping department.	
17. Warehouse and acceptance station.	
18. Lens and prism-grinding shop.	
19. Mess hall building. 20. Slagstone factors	•
20. Slagstone factory.	
•	

25X1A

CONFIDENTIAL


CONFIDENTIAL,	25X1A 25X1A
⇔ <b>3</b> ∞	

- 21. Forge.
- 22. Narrow-gauge railway.
- 23. Wide-gauge spur tracks.

ONFIDENTIAL.	25X1A
A THE PROPERTY OF STREET	20/(1/

COUNTRY		Approved For R	CATION CONTROL (CONTROL (CONTR	3/15 : CIA-R <u>DP83</u>	3-00415R0	1090007 NO		25X1A
TOPIC	Sar	atov Plant No	614 Hamufacti	uring Tractor	Parts.	TV Ca. remourance remains.		
OSTINIO COMPANIO SE CAMPANIO	d more than territoria		elikkinen (The Sulliver development som at Chaleman nigerga, s.a.			THE REST OF THE PARTY OF THE PA	25X1A	
EVALUATIO	N	25X1A	PLACE	OBTAINED			The second secon	Proc. 200, 194
DATE OF	CONTEN	т_		25X1C	<u> </u>			E HTT HIS COM
DATE OBT.	AINED	70-14		ATE PREPAR	PED	18 July 1951		ifo v odos zarakom istorioniajno man
REFERENC	ES							
PAGES	્ય	ENCLOSURE	S (NO. & TYPE)	1 - sketch on	ditto	A APPLICATION - CARPELLING AND AND COMMENTATION AND ADMINISTRATION ADMINISTRATION AND ADM	eri kalendada salama salamasian erindak salamasian kengengan dan dan basah salamasian salamasian salamasian sa	AND DESCRIPTION OF THE PARTY OF
		nd a sessional transfer of the control of the contr						
		M. A. MERINDER MAN CONTROL OF MAN PROPERTY CONTROL PROCESSES AND	and the second second second second second second		-	BANENTY TOTAL CONTROL PROBATION OF ALIGNATURE STATEMENT	e i medican himi gisto , ya yaman nigir yagan gaya na Yiya y	AND AND ARREST ASSESSMENT ASS
3 Marie Carlotte Carl	Contract of Contracts and Contracts	A STATE OF THE STA	en angerer en	· Andrew Proposition and American and American A	video antico de la compositiva de la c	ana da popular njego alektrakom ombor (c. 1869) zana sangan da anga	Medical and Medical Americans (1986), admiration to the American State (1986), admiration to the American State (1986), and	e-crearity also, assessed to
		are referred the Street Actives on the American party and a state of the Street American pages.	THE METERS AND AN ADDRESS OF THE PARTY OF TH	ar a deligar liping silang mengan persebanah dan persebanah dan deligan dan deligan dan persebanah dan sebagai	The second s	or produced the state of the control of the state of the	real Millianting in 1990, it automines amonths of personal states of	Continuent and the second
Personal Will Ric Semantic College of the Secretary	25X	1X	. W. Control of Contro		An emperica so a separativa so separativa separativa so separativa separa	and the state of t		-
1	Serp fore	tractor parts as located in i Folot plant es, two lathes department for	The plant	comprised a f	inskaya Si foundry, a	treet, opposi a hardening s	te the hop, two	25X1A
	· · · · ·	entry and patt and two repai	CIN-Making St	ann. Ann tranc	former st	tation, one to	one est sta-	
2. 1A 1X	duct 15-m whee barr trac such No in	products for conshipped to the	e gms were to dly 200 guns roduction cestems was beguns of unther processickles, etc., available as for a two or thread two or thread two statements of the statement of the sta	in the spring ased in mid-19. In Eovembridentified sing machines, parts for agree to the product period of see 60-ton freight tractor plant.	I warship of 1947 and the for 1948 to ze, cowher small agration figure veral week to cars parts man	os. The month and included he production the production the production the production hels and shaff-icultural implementations are since micks in early lightly with minufactured in	ally pro- 20-mm to of cog- i included ts for beenents al tools. 1-1947. 1943, tscellene- the plant	25X1X
3.	The r	number of emplo was done in th	oyees was bet bree shifts.	ween 1,000 and	d 1 <b>,5</b> 00 p	ersons in 191	18 and <b>19</b> 49.	
25X1A <1A	tion plant ing t It is plant confi	number 614 has of the Traktor is located to previous init possible, how are located of	not been predetail Plant both of the reformation, the sever, that the properties of the same see reported poors informatications of the severe poors informatications of the severe poors informatications of the severe properties of the severe prop	viously report The stateme eported plant, e Kaganovich F he Kaganovich ite. stwar producti on and by Sovi rted that the	traktorde ted as the ent that a cannot of Foundry a ton of the tet press	tall Plant, a e mumerical of the nearby Se be verified. s located on and the Scrp e plant is ge	lthough lesigna- rp i Holot Accord- this site. i Molot nerally	
	1 Ann	Sketch on CLASSIFICA	ditto.	DENTIAL-	1740.			25X1A

Layout Sketch of Saratov Plant No 614 Hanufacturing Tractor Parts



25X1A

CONFIDERTIAL-

CONFIDENTIAL		25X1A

#### Legend:

- A. Saratov Freight Station.
- B. Astrakhanskaya Street.
- C. Serp i Molot plant.
- D. Park.
- E. Rabochaya Street.
- F. Flant No 614.
  - 1. Intrances and guard stations
  - 2. Garage.
  - 3. Workshop 15, milling shop and latheshop.
  - 4. Torkshop 6, hardening shop.
  - 5. Dispensary.
  - 6. Repair department.
  - 7. Workshop 2, which produced component parts and assembled guns. This shop started producing cogwheels and doing finishing work on gun barrels in mid-1947.
  - 8. Factory 12, gun-barrel latheshop.
  - 9. Warehouse.
  - 10. Workshop 5, offices and test station.
  - 11. Paterial warehouse.
  - 12. Torkshop 7, use unknown.
  - 13. Workshop 16 which formerly manufactured gun shields and pedestals but after mid 1947 was used only as a repair shop.
  - 14. Workshop 12, gun-barrel lathe shop
  - 15. Workshop 11, drop forge and workshop 17, gun-barrel latheshop
  - 16. Workshop 3, which manufactured shoe-making and leather-processing machines.
  - 17. Workshop 1, foundry.
  - 18. Workshop h, formerly manufactured small parts for weapons, but was converted to civilian production in mid-19h7. Details were not known.
  - 19. Transformer station and administration building.
  - 20. Water tower.
  - 21. Workshop 17, latheshop.
  - 22. Workshop 5, forge.
  - 23. Torkshop 8, carpentry and pattern-making shop.

24.	Three	workshopsbuildings,	use	unknown.
		CONFIDENTIAL-		

severen Se	Approved For Release 2002/08/15 : Cl/ oviet Union	TAL A-RDP83-00415R010	70006-7	25X1A
1	atural oil District of Yelshe			
4		LEBOSCA () INCLU VINCE BEARINGER (1997)	nder lätte in men av kolonier i i er en stellen av kilden med stelle kolonieren stel	
20's and a 1 A Trans.	25X1A	thispeoplestic excellence of the section of the section of the section of the section.		X1A
EVALUATION  DATE OF CONTE	PLACE OBTAIN	25X1C	」25X1A	Mainte emparant
DATE OBTAINED	_	PREPARED	25 May <b>1950</b>	MATTINE TO THE STATE OF THE STATE STATE STATE OF THE STATE S
REFERENCES	ANT MARIES BUT OF THE STATE OF	THE SERVED DECKNOON DAY OUT THERE IS NO SERVED.		and the Carety American Carety of State
PAGES	ENCLOSURES (NO. & TYPE)	Minimanthus angal an Januaris san Angal an Angal an Angal	reliablet Valland, Al-Villants für Ma Biss IV vallandebekents, lassene endekskissesse ses Ju	обникам помен техняторующих не проседе
REMARKS	tion with the control of the control	The matery 40 - defended has distributed as also find the colour multiplicative property and to copy		Charles (Alberta Alberta (Alberta Alberta Alberta Alberta Alberta Alberta (Alberta Alberta Alberta Alberta Alberta (Alberta Alberta Alberta Alberta (Alberta Alberta Alberta Alberta (Alberta Alberta (Alberta Alberta (Alberta Alberta (Alberta Alberta (Alberta (Albert
ET TERREN ZERNEREN DE LANGENSCHWEILUNG E WEGTEELD RENN, DE	CIA			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	·	Left (# 1800) which is a company of the company of	
	Tyn,			AND DESCRIPTION OF THE PARTY OF
CONTROL SÁCIA MÁA AMBRUSA (1944 40 CONTROL SÁCIA (1945 A CASES	25X1X	CONTRACTOR OF THE CONTRACTOR OF A THE TWO CONTRACTOR SPECIAL PROCESSING AND ASSESSMENT OF THE CONTRACTOR OF THE CONTRACT	endia 40° la devene de un alcolombialismos esperantes esperantes esperantes esperantes esperantes esperantes e	museuskeeting, zepätaponoonietakoli kateuri
1.	Location and Extension			_
<i>*</i>	The natural gas (and oil) of village of Yelshanka (51 30 km northwest of the natural state of t	49 3 N/46°24° E thern perimeter n either side to Moscow (55° a width of abor oximately 25 km	) about r of Garatov of the 45° N/	•
2.	Development and Exploitation	OII.		
·	In 1945 10 to 15 derricks; 1947: 40 to 60; in 1948: 115 to 120. Toward the end tion the number of derricks tion to the permanent derri structures between 20 and 3 derricks were also used. To by tractors and T34s.	ED to 100; in of the priod of s was to be 160 loks which were 50 meters high	n 1949: od observa- o. In addia o steel , traveling	
	Drilling operations, usual three to four months dependentled. Natural gas was n	ling on the dep	oths to be	

CLASSIFICATION CONFIDENTIAL-

CONFIDENTIAL		2 2	5X1A 5X1A
	-		

500 meters. The individual depths varied; they were stated to be 500,600,800,1,00,1,200 and 1,500 meters. The pressure of the natural gas ranges between 60 and 140 atmospheres and, as a rule, is sufficient to bridge a distance of at least 30 to 40 km. Oil layers were struck in the early stages of drilling operations. The oil levels lay in several layers between the natural gas enclaves in depths between 500 and 1,400 meters. Mineral oil was struck on eight spots in 1946 and, toward the end of the period of observation, at about 40 points.

Under the pressure of the interjacent natural gas layers the oil sputters out in the form of aushers.

The natural gas is collected on the drilling sites and conveyed to a large main line through feeding pipes which interconnect the various natural-gas lines by a main ring. The eruptive oil wells are also connected by feeder lines to a main line which leads to a refinery in Saratov. After completion of the drilling operations, small engine houses are erected at the extraction points for regulating the pressure and conveying the liquid. The daily output of natural gas is stated to be 5 million cut is meters and the daily petrolium output to be approximately 1,000 tons.

The drilling gear, the pressure plants, the accessories, the machanical equipment, the valves and the feeder lines are said to be of american origin or manufactured in Russian factories according to american designs.

3. Branch installations (intermediate stations);

The large, main natural—gas pipe line goes to Moscow via the intermediate stations (compressor stations) of Kologrivovka, Atkarsk (51 50° N/45 00° E), Rtishchevo (52°15° N/43° 47° E), okirsanov (52°38° N/42°43° E). Tambov (52°43° N/41 27° E) Ryasan (54° 40° N/39°40° E) and Morshansk (53°26° N/41 49° E).

In addition to these main compressor stations there are pump stations at regular intervals of 75 km and watchman's huts at intervals of 10 km along the gas pipe line.

CONFIDURTIAL.	25X1A

			25X1A
		Confidential-	
25X1A		The large main telephone line from Saratov to poscow runs parallel to the pipe line.  apart from the natural-gas line to the refinery of Saratov, a branch line for crude bil was allegedly constructed to the freight station of Trafimovski, My of the center of the city of Saratov with gasholders and filling stations available. The shipment of crude cil is said to sometimes be as much as 2,500 tons per day. The mineral bil station consists of about 10 tanks, each 15 to 20 meters high and of the same diameter. Part of the crude bil is allegedly of such pure quality that it can be used as gas bil in stationary Ig-engines and motor vehicles without treatment. For running the mineral bil line a comparatively large power station has been eracted near Welshanka with an engine and bother house with four boilers and two turbo-generators. There is also a transformer station for transforming to 220 wolt the high-voltage current of 10,000 volt of the town mains of baratov.	25X1A
	4.	Several large repair shops, warehouses and replacement-parts depots are within the district.  Laborers  An estimated 2,000 Seviets and approximately 4,000 PWs are employed in the natural-gas and oil district	
25X1A		Comment:  The presence of natural gas in Yelshanka has been known since 1935. Jinee that time work is done with a view to intensive exploitation and improved utilization of the natural-gas wells.	
		, CONFIDENTIAL-	25X1A

	CLASSIFICATION 21- SOVIABPROVED FOR Release 2002/08/15 : CIA-RDP83-00415R010900070006-7	25X1A
CO	At 12 MONTH MONTH MANAGEMENT AND MANAGEMENT MONTH MANAGEMENT MONTH MANAGEMENT	ny randri militaran karis, ina majar,
10	C	Sir I Vo B. Marine, Sphiet urquange.
	25X1A 25X1A 25X1A 25X1A	**************************************
į.		-
1		
1	CBTAINEDDATE PREPARED9_January_1950 ERENCES	Mrs. Alliand K. Audirosters relations, completing and
1	S 5 FACLOSURES (No. & TYPE) 2 Blue prints 1 List	
1	1000	ĺ
9	1 Companies of Com	The standard or stands
	THE WALLS	
	RETURNANT	***************************************
Service and proposed and		***********
		25X1X
	1. Location and Traffic Facilities	
25X1A	About one mile west of the Sviyaga River, west of ULYANOVSK (formerly SIMBIRSK - 54°20' N/48°24'E), Kuibyshev Oblast, about 1:230 feet north of the TAGAI-ULYANOVSK highway; about 1:150 feet south of this highway is the ULYANOVSK airfield. The plant has sour tracks to ULYANOVSK (indicated by (see plant layout, Annex 1.).	
	3. Significance of the Plant	
	The plant is of minor importance according to its production figures, but it is significant as the only producer of light	
	5. Plant History	
25X1X 25X1X 25X1X 25X1X	a. The Stalin Automobile Plant in MOSCON was evacuated in the Fall of 1941. The angine department was moved to MIAS (Urals), the chassis are body department, most of the instrument department and the assembly department moved to ULYAFOVSK After the war the plant was reestablished in ULYAFOVSK under the management of the Privolzhavtostroi Trust The original plant was restablished in with concrete roofing Some of the machines originate from the management in CFE MITZ (N 51/K 66)	
	. [	25X1X
25X1X	b. The plant is scheduled to be completed by 1950 or 1952 However, it is doubtful whether these deadlines can be not as extensive building work is still planned.	25X1A
	JLASSIFICATION SECRET.	25X1A

•	SERRET- 25X1A	25X1A
25X1X	c. The nower station resumed operation on 20 July 1947  the chassis department in the Summer of 1947, the tool-making department in October 1947, the department for the assembly of drivers' cabins in October 1947	25X1>
25X1X	the forge in April 1948 the assembly department and truck platform construction department in 1948  It can be assumed that postwar production was resumed in make-shift buildings southwest of the town up to about October 1947.	25X1>
25X1X	d. The first truck was panufactured in the new plant in October 1947	
	4. Plant Installations	
	(The following enumerations correspond to the numbers of the sketch, Annex 2)	
25X1X	(1) Tool slop	
	Installation: Unknown. Production: Metal drills, reamers and other tools	25X1>
	(2) Bolt and screw denartment	25X1>
25X1X	Installation: Lathes and milling machines  Production: Bolts, screws. rivets and nuts	
	(3) Forge	
25X1X 25X1X	Installation: Four hammers (Stand hammers according to pneumatic hammers abording to Production: including brake rels. steering arms, universal joints	25X1> 25X1>
25X1X	(4) Hardening shop. It was recoin operation by April 1949	
	(5) Mechanical Department anufacturing of single parts).	
25X1X 25X1X	Installation: Metal-wor'ing schines including filing machines, lathes, milling machines, restautic presses punches drilling machines thread cutting machines, grinding machines and shaping machines	25X1>
: 25X1X	Production: Single parts such as hubs, covers and allegedly also engine parts such as n/stons The parts arrived in a crude state and were only tooled in this department	25X1> 25X1>
	(6) Chassis department. No details available	25X1>
	(7) Construction of 1/ Iding platforms	25/1/
	Production: Truck 1/ ading platforms made of wood	25V4V
	(8) Dryin chambe and lacuer sion	25X1>
	(Sa) This building was still under construction in April 1949	
25X1X 25X1X	installed (No. 30 of the sketch)	25X1>
	SECRUT.	25X1A

The elevator started at the coal dump, passed a coal mill (No. 16a of Ennex 2) and led into the power station

(18) Concrete factory

TECRIT

are not available.

25X1X

25X1X

25X1X


25X1A

etails

25X1A	Approved Fo <del>r Release 2002/08/15 : CIA-RDP83-004</del> 15R010900070006-7	25X1A 
•		
	(19) New construction - projected foundry shop	
	The foundation walls and part of the steel structure were completed in pril 1949.  The foundry will be housed in this new building.	25X1X
	(20) <u>Tem construction</u> - projected force	
25X1X	The building allegedly consisted of two sections. Tach section had three or six individual foundations, 16x16x10 feet for steam harmers. The installation of the interior equipment started early in 1949.  Leavy steam harmers were parked outside the building, for installation. It will possibly be a drop forge for manufacturing engine parts.	25X1X 
25X1X	The construction of a forge was also indicated by	25X1X
	(21) Administration building	25X1X
	- (22) Section To. 22a was the Living quarters of the TVD guard unit.	
25X1X	(23) Guard house	
	(24) Department for the assembly of driver's vabins. The location in the plant is not known.	
	5. Tork Force and orking Time	
	The number of worksen was not determined. Fork was done in three 8-hour shifts	25X1X
	6. Forer and terrials	
	nower was sumplied by the TLYAMOVSE over Clant before the plant-owned nower station was put into operation the time of observation almost all single parts were delivered by the Tolotov plant in CONTI (56020*4/44099*E).	25X1X
	7. Froduction	
25X1X	war MAS trucks were assembled during the war MAS trucks were produced after the Summer of 1947. It is continuation of the GAS-A construction, a well-	
25X1X	known truck type, the construction of which had been suspended in GOURT The first UAS truck was completed in October 1947 Theore are contradictory indications on the output of the plant. The foll wing information seems to be credible:	
	1,525 units were produced in Tay 1948 about 1,700 units were produced in pril 1949	25X1X
	After the plant construction is completed, the annual capacity will presumably be about 25,000 units.	
	GEORET-	25X1A

		e,				
5 unnexes:		.vanovski LYANOVNE	Avto Cav	od Truck	That near	
5X1X	3. List	of sourc	es.	•		


SICREE-



CONTROLLED DISTRIBUTION

Annex 2

# "Ulyanovski Avto Zavod" Truck Plant near ULYANOVSK



Next 1 Page(s) In Document Exempt

ATT 17: 1: 4 A STREET STATE AT 1	Approved For Release 2002/08/15 : CIA-RIP83-00415R010900070006-7	
	Soviet UnionREPORT NO(	
TOPIC St.	etements by German Engineer Regarding Miroraft Hant in Kraanaya Minka	and the second second second second
\$2400 F PROBED STANDARD CONTRACTOR	25X1A	Market have de redgen one
EVALUATION_	25X1A PLACE OBTAINED 25X1A	
DATE OF COI	TE 25X1C	
DATE OBTAIN	ED. PREPARED 27 March 1950	
REFERENCES		
PAGES 2	ENCLOSURES (NO. & TYPE)	
LANGELIE JOHN FORTTU SELVALAI JAKAHA ORGENSENDEL K. H.	UNITO CIA	***************************************
WET	A. S.	
28	X1X	-
		25X
		1
3.	o l	
	a. Krasnaya Clinka (50°12°E/53°21°N) on the eastern bank of the Volga River opposite the construction site, is the location of about 800 deported German engineers and their families.	
	I direction	
	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.	
	b. Part of the former Junkers Aircraft Flant was rebuilt in	
	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1 500 means.	
	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1,500 men (Soviets and Germans).	
1A 2.	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1,500 men (Soviets and Germans).  d. Production: Jet fighters  e. Payment of the German engineers: Maximum pay 6,000 rubles per month; the monthly pay of skilled workers is 600 to 900 rubles.	
1A 2	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1,500 men (Soviets and Germans).  d. Production: Jet fighters  e. Payment of the German engineers: Maximum pay 6,000 rubles per month; the monthly pay of skilled workers is 600 to 900 rubles.  Observed flying NE of Krasnaya Clinka and assumed that	
1A 2.	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1,500 men (Soviets and Germans).  d. Production: Jet fighters  e. Payment of the German engineers: Maximum pey 6,000 rubles per month; the monthly pay of skilled workers is 600 to 900 rubles.	
1A 2	b. Part of the former Junkers Aircraft Flant was rebuilt in the vicinity of the conspicuous sanatorium.  c. The newly constructed plant has a work force of 1,500 men (Soviets and Germans).  d. Production: Jet fighters  e. Payment of the Gorman engineers: Maximum per 6,000 rubles per month; the monthly pay of skilled workers is 600 to 900 rubles.	

Kuibyshev was mentioned several times in recent reports; however,  According to available information on the circle of German experts working in Krasnaya Clinks the following groups of engineers are stationed there:  1. Frogulation unit specialists  2. Course steering specialists of the former Askania Flant  3. Former aircraft testing specialists.  It seems improbable that jet fightem were produced in lant No 2. It is rather assumed that, over all, jet engines were developed and built there.  to ascertain whether
According to available information on the circle of German experts working in Krasnaya Glinke the following groups of engineers are stationed there:  1. Frogulation unit specialists 2. Course steering specialists of the former Askania Flant 3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
According to available information on the circle of German experts working in Krasnaya Glinke the following groups of engineers are stationed there:  1. Frogulation unit specialists 2. Course steering specialists of the former Askania Flant 3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
According to available information on the circle of German experts working in Krasnaya Glinke the following groups of engineers are stationed there:  1. Frogulation unit specialists 2. Course steering specialists of the former Askania Flant 3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
German experts working in Krasnaya Glinka the following groups of engineers are stationed there:  1. Propulsion unit specialists  2. Course steering specialists of the former Askania Flant  3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
2. Course steering specialists of the former Askania Flant 3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
3. Former aircraft testing specialists.  It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
It seems improbable that jet fighters were produced in that No 2. It is rather assumed that, over all, jet engines were developed and built there.
rlant No 2. It is rather assumed that, over all, jet engines were developed and built there.
leo ascertain whether
there is actually a newly constructed airfield northeast of Krasnaya Glinka. The data on the payment of German experts is correct as can be seen from

25X1A

CONFIDERTIAL

25X1A

COUNTRY		Approved For Rele	ease 2002/08/15 : Ci	A-RDP83-00	0415R01090	0070006-7	25X17
34			ent in Krasney				
E-WE VARIOUS AND THE CONTRACTOR OF THE CONTRACTO		managaman and Lucio (1966) i Paris (1966) i Paris O Paris (1966) i Par					arrado Serio Antonio. Antonio o autorioria del Regio esta como la 1. A como de la como
EVALUATION	1975 JEN cht abda saw yenn	25X1A	PLACE OBTAINED	)	25X1/	4	- A SA AND THE ACCUMULATION OF THE ACCUMULATIO
DATE OF CON			□ 25X1C	o de soudific descourse (senteno) e e este proposition, a partico		The state of the s	The Control of the Co
DATE OBTAINE	ED	ruse	LDATE F	REPARED_	12 May	1950	TORRORS SHOULD AND THE SHOULD SHOULD SHOW THE STORY COMMENTS AND
REFERENCES.	Marrielle Alastena angung	MRT OF A VENT A PERSONAL OF SIZE AND RESIDENCE AND A SECURITY OF A SECUR	nekato e 1918-1918-1914 (Alakis) mela essentianiska (Las Ingeliasa) e engale	Address Anna Anna Anna Anna Anna Anna Anna An	Mariento, il della Mariento della Collina Stationera e Alemania	Park Amerikaan masang sagangkan sagan san pang sang sang sang sa	omennia inautonomonina na antikolatana sa co e e e e e e e e e e e e e e e e e e
PAGES	1	_ENCLOSURES (N	O. & TYPE)	THE SALES OF THE S	der generale V. All State W. W. distantishing the large pro-		, on management, accommunication below to the contract transfer contracting co-
REMARKS		Andrew Control of the State of	14.9	and the day of the contract of	бай өтгө. Эт өөөн хөнгийгааруулда яв ра <u>наал ар</u>	Ald limited afficiency consequent appelled to best	design of the second se
astronomi i diamitari associato e sensaturi anticipi	No and consider sugar	- TH3H 7	Marie Carlotte Carlot			- Yangani, ang	
MARKETUZA 2 FBCNASSAĞI KFACTOR RASINTARONUNUNLERINDI.	MALEO LIEL HARLE THE AN	HE HOSV	The second second commence of the second sec	tani a matangan akan matangan at ang	disting the constant of the areas		
СПОВИНАГ. НУ ФИЗИНОНИКО ДРИВИ. ЗОВИКОСИНУЗИКОСИНЫ О	Distriction in special field beautiful.	_	Till de literal i vigte hovers de die industry na har gedentliere nage ansanzegie, da syn				
							The second of the second secon
							25X1X
	1.	Twin-engine	aircraft were	seen at	an airfi	.e1.d	
		near Krasnay	a Glinka (50°)	L2 °E/5302	Cl'N). two		
(1X ,	2.	as those in	Dessau were be Plant, which t	eing buil	ie same/s lt in the	ircraft Kras=	
(1X	3.	The Kuibyshev.	werə	sllowed	to shop	in	
25X1A		Commen					
φ - ( <b>5</b> ) - (1)		hearsay. Ho on a new air	s based on cas wever, several field east of sly received,	uncomfi	rmed ren	ortis	
				•			
		•					
				1			
e .				,			
. •							
		CLASSIFICATION	CONFIDENTIA	i.L.			25X1


	Approved For Release 2002/08/15: CA-RDP83-00415R010900070006-7	25X1A
COUNTRY	TI 3 S R	
TOPIC	Catroli (N1 Refinery	
обы кабатога метуре тур ( <u>везгражения, акторы такен</u> так		25X1A
EVALUATION	25X1A PLACE OBTAINED 25X1A	The state of the s
DATE OF CONTE	ENT25X1C	distance - head in full file
DATE OBTAINED	DATE PREPARED 28 June 1950	and the second s
REFERENCES		BOLING W. A. CERTA COMPANIES CONTRACTOR STATES C
	ENCLOSURES (No. & TYPE)	Configuration (C.C.) - Entry and Administration (C.C.) and C.C. (C.C.) - And C.C. (C.C.)
	110	
-	-1134 13 3111	
The second section of the second section is a second section of the second section sec	RETUSH TO SIA	Oleh Hiladi Laganiningan min-dalu Min-dalu Berlikon Bi-dar pelikin Kimalakan malaya
Mice, 10FCIBISECOLUCIUS, CINTERNATIONAL MARTININA (MORINI), ARRAMININA		Make a second se
		25X1X
•		
	l. The plant is on the southern outskirts of Batraki (48° 36°E/53°09'N) Kuibyshev Oblast, close to the Volga River and the Auibyshev (53°12°E/50°09'N) - Sysran (53°11°E/48°27°E) railroad line.	
	<ol> <li>In addition to the refinery proper the plant has a special lubricating oil refinery which is an old plant. Next to it is an asphalt processing department operated primarily by hand. The plant has its own power station with three Diesel engines totaling 750 HP, and one machine and boiler house, as well as repairshops and other workshops. A new installation for processing residues was established about 20 oil tanks for crude oil and finished products were located between the tracks and the river bank.</li> <li>The plant has several spur tracks, a highway connection</li> </ol>	25X1A
	and river landing points for tankers. The refinery is connected with the main pipe line coming from the oilfields and has its own pumping and filling instablations.	
	4. The total number of employees was estimated to be between 400 to 800, working in three shifts. *	
<b>t</b>	OLACCUTIOASCETIDENTIAL	
	CLASSIFICATION TUENT TA	25X1A

25X1A	CONFI DENTI AL	25X1A
25X1A	Comment. According to available information the Batraki Refinery is composed of a distillation column, a cracking installation and a gasoline refinery. The annual capacity of the plant is estimated at 500,000 tons, and the annual output capacity of the cracking installation at 200,000 to 250,000 tons. Aviation gasoline is also produced The production of lubricating pils and asphalt are reported for the first time.	

CONFIDENTIAL

COUNTR	Approved Fo Soviet Union	SIFICATION CONFT. r Release 2002/08/15	: CIA-RDF 83-0	0415R01090007000 REPORT NO. 1	6-7	25
TOPIC_	Armement	Plant in KRASNA	AYA GLINKA			
_					25X1A	
EVALUAT	ION_25X1A	PLACE OF	STAINED		The second distances	
	CONTENT			25X1A	]	S.M. Mahaya 19, 19
DATE OB	TAINED		DATE ODEDADE	n 22 November	1040	MEDICATO AND AND AND AND A
	ICES	And Anadomic Str. (Major States, Str.) and States (A. 14), are Angle) was respectively to the habitation of the Control Str. (Major States) and the Str. (Major Str.) and the Control Str. (Major Str.) and the Co	DATE PREFARE	DE HOVOMOET	LUXU	STEEL T A. TENN HARMANIA .
PAGES_		IDES (NO & TYPE) 1	hluannint	The state of the s	25X1	<del></del>
REMARKS			. DJ.UGDI-IIIC	arring along and a habitant for a straight along a tentary Augustan	Z3\ I	A
REMARKS	` <del>-</del>					
Water State of Contract						<del>manustans</del>
		111 0111				
mamata and a standard material of the standard section		MICH	and a control of the same of the position of the same			
	<b>D</b> 1.	211111				
						25X
	Beginning of 3	.946 to October	1946			
5X1A <sub>1</sub> .			The state of the s			
	(50°11'E/53°22 KUIBYSHEV on V	sketch. The p C'N) was locate Olga River.	d 12 to 18	miles north of	NKA f	
1X 2.				the plan	nt had	
	changed to hou	; weapons durin sehold article	g the war. s, e.g. pot	After the war	r it locks,	
3.	engineers and were accomodat men, specialis Junkers herke plant and equi plant were sai	s dissolved la technicians 's ed there. Exc ts and designing were transferre pment. Among d to be found,	pecialists) lusively en ng engineer ed to KRASN them, some	with their fagineers, trains of the STASS AYA GLINKA with professors of days and a made a name	amilies ned work- SFURT the compl the same	lete
25X1X	jet-propelled	field of aircraplanes.	art constru	ction, especia	lly of	25X
	1947 to Octobe	r 1948				-
5X1A 1.	Location: The Soviets, was lannex).	plant, called ocated a little	an aircraf	t factory by t KRASNAYA GLINK	he (see	
2.	Soviets stated	:			,	
	a. Labor force few German eng	a: 4,500 Sovie	ets workin $arepsilon$	in 3 shifts,	plus a	
	b. Production	CONFIDENTIAL,	bombers and	d engines.	¬	051
	ULASSI	FICATION				25)

	Approved For Release 2002 (08 ரஞ் ; CIA-RDP83-00415R0109000 70006-7	25X
3.		25X 25X
	Soviet-designed engines were produced.  Biw engines and	
4.	Aircraft were not observed.	
25X1A	Comment:	
		25X
0EV4A		
25X1A	b. the former KIROV Plant No 145 is concerned.	
25X1A	this factory which, up to the war, was supplying accessories for aircraft armament, has been changed to turbojet power units after the war, a great number of German turbojet power plant experts of the Junkers and BMW firms bring engaged in this particular task.	
		25X
	conclusion that an experimental plant or a special factory for component parts of turbojet power units is concerned than to the assumption that it is a factory for the production of complete sets of turbojet power units.	
	1 Annex: KRASNAYA GLINKA Aircraft Armament Plant.	



COUNTRY_	Approved For Release 2002/08/15 CIA-RDP84-00415R010900070006-7 Soviet Union REPORT NO.	25X1A
	lower llent of Kazan	
and the second s		representa harrisantes est se se espesantes a
EVALUATION	25X1A 25X1A 25X1A 25X1A	
DATE OF CO	INTEN 25X1C	O an department of the Constitution of the
DATE OBTAIN	NED 24 Acril 1950	promitive the charter than to develop a section of
REFERENCES	3	Profesion acutemplications, and vide princip o
	2 ENCLOSURES (NO. & TYPE) 1 Blue print	P villelit i Terstock Steen, vi i i <u>seen eesiku kestuur</u> s
	20 011	
AND AN ALLESSA STATE OF THE STA	RETURN TO CI!	I.N.Th. Surrice Strate Condense Space (p.
	T Ver	<del>Podrovija i podrovija podrovi</del> podrovija i podrovija
ederaginases (i) (figer free ethiological) cass (file describility (i) profile a p		and the last way or the statements of the
		25X1X
1.	Location:	
	South of Kazan (49008'E/55045'N), Tatar ASSR, west of a	
	lake, about 3.2 km from the town center.	
2.	Flant installations:	
	Soviets said the plant was constructed from 1927 to 1929. The main building was emarged and a sixth boiler installed in 1947. The fitting of the boiler was not completed by October 1947. All other boilers were constantly in operation. The plant covers about 450 x 130 meters and has several railroad connections coming from the south.	,
:	For plant layout see Annex.	
3. 1	Work force:	
;	Five hundred Soviet laborers and 200 PWs working in three shifts. Eighty additional mechanics were assigned to the fitting of the new boiler.	
4. (	Capacity:	
I	No details available.	
25X1A [	Comment:	
•	The power plant was covered by an aerial photograph from 6 August 1943. The plant location was clarified by that photograph which was transmitted previously.	
	CLASSIFICATION CONFIDENTIAL	25X1A

Approved For Release	2002/00/45 . 0		4 <i>E</i> D040000070000 7
Approved For Release	ZUUZ/U0/10 : G	IA-RDP03-004	12KU 1U3UUU/UUU6-/

	!	1.		
AL ALL CHILD WALLS IN MINER A PP				
COMPTEMMIAL				

The plant layout is considered to be correct. As far as the plant buildings can be identified on the photograph they agree with the very clear attached Acetth.

1 Annex: Power Plant of Kazan.

	_
ONFIDENTIA	25X1A


COLFIDERTIAL	

### Legend to Annex:

- 1 Main plant building, brick structure, 72x27x18 meters, with flat roof. Annex in the south 18 meters long. Five sets of boilers in operation, the sixth set being assembled. Six sheet-metal smokestacks, each 10.5 meters high and 1.8 meters in diameter.
- 2 Outdoor transformers, three lines each with 15 insulators of 2.4 meters height. A power transmission line with four wires on wooden masts leads to town.
- 3 Heating plant, 27 x 10.5 meters, with six sets of hollers and six pipe lines, each 60 cm in diameter, going to town. Soviets stated that this is a distance heating plant.
- 4 Guard house
- 5 Flant security building, 13.5 x 7.5 meters
- 6 In Camp
- 7 Mechanical workshop, 54 x 9 meters
  - a Material stores
  - b Forge
- 8 Barn for freights, 90 x 10.5 meters
- 9 Elevated reilroad track
- 10 Coal dumps
- ll Assembly erea
- 12 Coal bunkers with scale and conveyor installation (13.5 x 4.5 x4.5 meters).

COLFILERTIAL	25X1A
	20/(1/

## Power Plant of Kazan




ramend: See report

not to scale

Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7

\$333 25X1A
2 Lime-stone storage dump
3 Conveyer belt
4 Filling station
5 Warehouse
6 Lift (coal and lime was shipped by lorries from the filling station to this place)
7 Cracking installation
8 Migh building with 3 large furnaces, 40 x 18 feet, permanently in operation. On the top floor the material was put into wooden tubs from where it ran through grindstones, boilers and drying installations down to the second floor where it arrived as powder.
9 Storage No. I with the big ventilator on top which is connected with building No. 3 by pipelines
ga Storage No. II; the powder was brought by narrow-gauge railroad from storage No. I, filled into barrels and shipped. Jorkmen in both storages wore protective clothing such as rubber suits, gloves and masks.  25X1A
10) Workshops connected by underground pipelines, production 10a) and filling of gas, and production of an acid
11 Storage damp for old and empty cylinders (395 cylinders)
12 Cleaning installation for gas cylinders
13 Storage for gas cylinders
14 Shipping station for gas cylinders
15 New plant department, second floor installed. At the west-side of the building were two groups with three and four wooden tubs, 16 x 15 feet; the tubs of one group were interconnected by gangways. Alleged content was acid.
16 Electro department
17 New building. Salt, which arrived by ships, is processed here.
18 Power plant
19 Plant department No. 19, especially fenced in, a strong almond-like smell
20 Guardhouse
21 Factory reilrood (marrow sauge).
عدر الاستان على الاستان ع



Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7	25X1A
Soviet Union REPORT NO.	
SOME Siboles Plant is 91 in BAKETOVKA	MANAGEMENT AND THE STATE OF THE
	25X1A
EVALUATION 25X1A PLACE OBTAINED 25X1A	
25X1C	
DATE OF CONTEN	0.40
DATE OBTAINEDPREPARED_ 6 December 1	
REFERENCES	
PAGES 2 ENCLOSURES (NO. & TYPE) 1 DIRECTION OF THE REMARKS	THE PROPERTY OF THE PROPERTY O
REMARKS	- Ambigue Asservy 7 Mandelline ambiguish-12-15 Massigus quaque qu'agas - 187 - Agains 18
Well In	ecoppering artists of the appropriate to make the minimum control constitution.
RETURAN	
The second secon	
	CHANGE VARIABLES . 30 Machine VI 4 House Change Company and Company of
	25X1X
1. Location: The chemical plant in BERETOVKA (44°25°	3/43°35 'N),
Stalingrad Oblast, is located directly east of the road line leading south from STALINGRAD, and about	rall-
west of the Volga River.	•
2. Plant installations:	
The plant covers an area of about 4,500 x 2,400 fe	eet. The
materials processed at the plant, chiefly coal, listly arrived by rail and ship. The following de	eme and epartments
of the plant had special designations:	
Plant Department 1 - Details not known	
rlant Department 2 - Details not known Flant Department 5 - Storage of Jas cylinders in	the size
of oxygen cylinders	
Plant Department 5a- Filling of clorine into steed ders, these cylinders being half the size of the	l cylin-
cylinders.	
Three tracks connected this plant to the railroad	•
Power was smoolied by the BAKETOVAA power station	located
west of the railroad line. For plant layout see	Annex.
3. dork force:	
An estimated 2,000 workers and 500 to 600 Pas. W	ork was
done in three shifts.	
4. Production:	
Chloride of lime, chlorine, phosphoric acid and a which had the scent of bitter almonds. Old atock ammunition were derusted and greased.	n acid s or
CLASSIFICATION SECRET	25X1A_
S West war and the second seco	

		PEGGET	25X1A
			25X1A
		(	20/1/
25X1A		Somment:	
	a. re	This information confirms and supplements a previous sport on the same subject. *	
	b. es pi	The attached vague sketch corresponds in the most sential plant buildings with sketches forwarded with sevious reports.	
			25X1A
	]	Annex: Themical Plant no.91 in BaksToVkA, Stalingrad	
		Oblast.	
	•		
	Lе	gend to Annex:	
	4.	Plant department for the production of acids, 300 x 30 feet consisting of:	
		a. Distillation plant	
		b. Storage of filled demijohns	
		c. Muchanical shop	
	2	storage shed for ammunition, 150 x 130 x 60 feet	
	3		
	4.	Plant department 5a, filling of calerine into steel cylinders	
	5	Plant department 5, storage of large cylinders, being about the size of an oxygen cylinder	
	6	Mall, several ventilators and a tank installation with eight to ten tanks, each 12 feet high and 5 feet in diameter. The tanks were used to hold gas and acids.	
	7		
	3		
	9	Carbide storage	
	10	Magazine, contents not known	
	11	Chlorine storage with railroad connection	
	12	Lockenith shop	
	13	Sentral heating plant for the plant	
	14	Laboratory	•
	15	rool shed	
	16	Westmall	
	17	Plant department 1, no details available	
	13	Plant department 2, no details available 19 Pipe main	
		, Sudiati	25X1

not to scale

INTELLOFAX 5 App	proved For Release 2002/08/15 . CIA-RD P83-00415R010900070006-7	25X1A
TOPIC	Fuel Derot in Batraki	alle allegan Matematika ( a sp. 100 h). Sp. sp. skop overskipa ( ) z constant
· · · · · · · · · · · · · · · · · · ·		25X1A
EVALUATION	25X1A PLACE OBTAINED 25X1A	e sens
DATE OF CONTENT.	AND RESIDENCE TRANSPORTED THE PROPERTY OF THE	ai .
DATE OBTAINED	REPARED 24 May 1950	
REFERENCES		
PAGES 2	ENCLOSURES (No. & TYPE) 1 sketch on ditto	en variables, altrastication of Architecture, a gas passed the representation
REMARKS		de Transmisserature incressionales de l'Angeles interférés de la française de l'Angeles interférés de
		gaper <del>alle constitutions are the second and the second are the se</del>
		and the second s
guidh aguing-pholas lis dippean i) he di-sapharani inge desar aban a		
il kasimum dibengan and Ziri, ya sepamani isakip anu i a teo disconnistrativa salayibin m		CONTRACTOR SECURITION OF THE PROPERTY OF THE P
		25X1X
		25/(1/
_		
1.		
	In Batraki (48°41°E/53°10°N), Kuibyshev Oblast, on the Volga River, on both sides of a doubletrack railroad line, about 6 km west of the Volga bridge rear Prava-Volga. For location see Annex.	
2.	Installations :	
	The fuel depot, about 1,000 x 500 meters, was surrounded by a wire fence and had at least 30 surface fuel tanks, approximately 20 meters in diameter and 10 meters high, standing in three lives north and three lines south of the railroad line at intervals of 50 to 70 meters. In addition to these red-brown painted tanks without fire protecting walls, the depot had smaller tanks, the exact number of which was not determined. The tanks contained gascline, Diesel oil, petroleum, "Likrain tractor fuel, lubricants and natural oil piped underground from the oil fields near Yablonka and Schni. Shipments of natural oil to the refinery in Syzran and of refinery products back to the fuel Lepot were by tankers during the summer and by railroad tank cars in winter time. Stored products from the depot were snipped by railroad,	


CLASSIFICATION CONFIDENTIAL

j	CCNFIDENTIAL	25X1A
	tankers and, during the winter, by trucks on the frozen Volga River in the direction of Ruibyshev.	
25X1X		]
	1 Annex: Fuel Pepot in Batraki.	

CONFIDENCIAL


scole 1: 100,000

Location of Fuel Denot in Batraki,



CONFIDENCIAL

TOPIC	Sew Power Flant	in ASTRAKHAN		× .	
		and, and is a marked distributive section of the "the distributive color of a color of the angelous man and a color of the angelous and a color of the angelous angelous and a color of the angelous ange	нафия наст. и при при при настания при	25X1A	ndudos trap stra
EVALUATION	25X1A	PLACE OBT	25X17	A	
		LACE OF	25X1C	on the same case.	
DATE OF	27.3			- MANAGANA ANTONOMIA	
DATE OBT	· · · · ·		EPARED 13 Feter	uary 1950	
	ES.		aver him de seus seus seus seus seus seus seus s	emoleur durente transferencementementementemis , ast. distributementemente	· /
PAGES	ENCLOSU	RES (NO. & TYPE)	1 Blueprint	T GANG SALVET, MET PERMANAN BERMETER, STOCKER, STOCKER, STOCKER, STOCKER, STOCKER, STOCKER, STOCKER, STOCKER,	TTO TOWN
REMARKS.	M. Meles Timer and Brown affects (Specification) and additional communities are account.	and the state of t			
1/man majoroman rom manusipus		Managaratika wakasimini neo nafensir mma nalikanatay milimaga ni yamisekasin ne	and integral and the second		
		Transis dispositi di manggaratha. Lasta sens anna sun: apresa y mangada a a	en e		
				e-sammente, in standar anglo-e-referent michigen zer verprodent – zer zelpziko silva esem	-
	TO THE REST OF THE PROPERTY OF	en erendeste gesterne ausgebereichtet. In er der Bereichte er er er seine der Gesterne der Geste		. NOTE TO A STATE OF THE PARTY	
					25
	Processing Flam Oblast.	r, about 1,500 nt in ASTRAKHAN	feet east of the Nil (48°03°E/46°21°N)	koyan Fish Astrekhan	
	Processing Flamoblast.  Plant installerequipped with 1948. The turk	nt in ASTRAKHAN  tions and capac  two operating s	feet east of the Ni (48°03°E/46°21°N) ity: The power planets of boilers and tacapacity of 6,000	Astrekhan nt was burbines in	
	Plant installar	nt in ASTRAKHAN  tions and capac  two operating s	(48°03°E/46°21°N). ity: The power planets of boilers and the stand the stand of th	Astrekhan nt was turbines in Kws.	
	Processing Flandblast.  Plant installed equipped with 1948. The turb Comment:  a. Comment:  a. Comment in is known from I report, it was nown plant.	nt in ASTRAKHAN tions and capac two operating s bines each had  ETRAKHAN The previous inform planned to ins This last menti	(48°03°E/46°21°N). ity: The power planets of boilers and the stand the stand of th	Astrakhan  at was turbines in  Kws.  the new oines (two) o a former bines inthe	25
2。 25X1A	Processing Flance Oblast.  Plant installar equipped with 1948. The turb comment:  a. Comment:  a. Comment:  a. Comment:  a. Comment:  b. Attached he cod reproduct:  cod reproduct:	tions and capace two operatings bines each had bines each had brevious informulation of the top ereto is the losketch agrees wich already shot on which to appear alent had	ity: The power planets of boilers and a capacity of 6,000 same number of turk sation. According to that additional turk oned report also fur	Astrekhan  Int was burbines in  Kws.  The new bines (two) be a former bines in the chished a very he plant.  ASTRAKHAN, h site of this the delta branc bocated. It is than all other	<b>25</b> oh
25X1A	Processing Flance Oblast.  Plant installate equipped with 1948. The turble oblast.  Comment:  a. Comment:  a. Comment:  a. Comment in is known from report, it was power plant.  cood reproduct.  b. Attrehed he issue 1944, whenew power plance of the Volga Resaid that the buildings in the from the air.	ASTRAKHAN  tions and capac two operating s bines each had  ASTRAKHAN. The previous inform planned to ins This last menti ion of the top ereto is the lo sketch agrees w ich already sho t. Bolshaya Bo iver on which t power plant bui his town section	same number of turication. According to tall additional turication sketch, with the town map of the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly is much higher the town the power plant is lightly the town the	Astrakhan  It was burbines in  Kws.  The new bines (two) co a former bines inthe chished a very he plants  ASTRAKHAN, ha site of this the del ta branc ocated. It is r than all othe y identifiable	<b>25</b> oh
25X1A	Processing Flance Oblast.  Plant installate equipped with 1948. The turble oblast.  Comment:  a. Comment:  a. Comment:  a. Comment in is known from report, it was power plant.  cood reproduct.  b. Attrehed he issue 1944, whenew power plance of the Volga Resaid that the buildings in the from the air.	ASTRAKHAN  tions and capac two operating s bines each had  ASTRAKHAN. The previous inform planned to ins This last menti ion of the top ereto is the lo sketch agrees w ich already sho t. Bolshaya Bo iver on which t power plant bui his town section	ity: The power planets of boilers and is a capacity of 6,000  same number of turination. According to tall additional turinand side views of the cation sketch, when the town map of the power plant is leading is much higher and is thus easily	Astrakhan  It was burbines in  Kws.  The new bines (two) co a former bines inthe chished a very he plants  ASTRAKHAN, ha site of this the del ta branc ocated. It is r than all othe y identifiable	<b>25</b> oh



# 25X1A the known Tractor Detail Plant differs from wartime records which located the furnace plant 2 kilometers southeast of the main station. Since the plant is not entered on available town plans, its correct location cannot be determined. 25X1A Commont. This report is the first to confirm postwar production of electric smelting furnaces at the plant.


Approved For Release 2002/08/15: CIA-RDP83-00415R010900070006-7


1 Annex: 1 - sketch on ditto.

COMPIDENTIAL		25X1A

Approved For Release 2002/0	08/15 : CIA-RDP83-00415 <del>29</del> 90900	700 <del>06-7</del>
CONFIDENTIAL		

Saratov Blant 40. 250 for the Construction of Smelting Furnaces





Legend: | Goe next page:

CONFIDENCIAL

### Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7

	Confidentiai			25X1A
Sketch No 1		71 <b>0</b> 5	2 🖦	25X1A
Legend:				

- 1. Administration building.
- 2. Plant kitchen.
- 3. Department No 3, lathe shop with two heavy iron chears, 10 lathes, four boring machines, one large planing machine, and four milling machines. This department produced component parts.
- 4. Department No 4, assembly shop with 20 electric welding machines used in welding the component parts to the furnace which was lined with fire clay. This was also the packing and shipping department.
- 5. Department No 8, electric workshop. Transformers and other electric equipment were manufactured and repaired here.
- 6. Department No 6, repair shop for plant installations, fitting shop, and an electric machine shop equipped with 15 various machines.
- 7. Department No 7, no details known.
- 8. Boiler house with smokestack, entrance strictly forbidden.
- 9. Coal dump.
- 10. Department No 1, foundry with one furnace for gray iron castings and one furnace for bronze in operation, and a second furnace for gray iron castings under construction. This furnace was almost completed in December 1947. The furnaces were gas-fired, and had a capacity of 7 tons of gray iron and 1,000 kg of bronze per shift. The gray iron furnace was charged with 150 kg of pig iron, 100 kg of scrap, 50 kg of foundry waste goods, 7.5 kg of limestone, and two buckets of coke. The foundry produced parts for smalling furnaces 1.50 x 2 x 1.20 meters, and also parts required by special orders.
- 11. Transformer station.
- 12. Department No 2, forge with two hearths, two pneumatic harmers, and one press-cutting machine.
- 13. Iron dump.
- 14. Jarchouse
- 15. Garage for six factory trucks.
- 16. Underground oil and gasoline station.
- 17. Warehouse.
- 18. Plant carpenter shop.
- 19. Stable.
- 20. Scrap dump.
- 21. Settlement for laborers.

COMPIDENTIAL	25X1A

# Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7 CONFIDENTIAL Annex 25X1A

## Sketch No 2

### Legend:

- 1. Three-story, gray plastered brick building,  $h0 \times 15$  meters, housing administrative, technical and drafting offices.
- 2. Lathe shop, 70 x 20 x 8 meters, with lathes and grinding machines. No details known. .
- 3. Foundry, 60 x 20 meters, with one large cupola furnace and one brass casting furnace. A molding shop for manual operation and a polishing shop were attached. The foundry produced parts for electric furnaces and other parts (tractor parts according to Soviet laborers), which were packed in boxes and shipped.
- 4. Forge, 50 x 30 meters, with two pneumatic harmers, each with a weight of 3 tons, and one large gas-fired forge furnace.
- 5. Main blant building, 80 x 40 x 9 meters, iron and masonry structure.
  - a. Lathe shop with many lathes, four milling machines, three shaping machines, one large shear manufactured by an Erfurt firm, and a small shear. This shop produced single parts. There were two traveling cranes through the hall.
  - b. Assembly shop where furnaces were assembled and lined with fire clay.
  - c. Annex, 40 x 20 meters, with PJ camp in the basement, iron dump on the first floor, and office and apprentices quarters on the second floor.

COMPREMENTAL	25X1

Approved For <u>Release</u>   <del>2002/08/15 : CIA-RDP83-00415R010900</del>	070006-7	25X1A _25X1A
<u>.</u>		
	•	

and equipment, it remains to be seen whether the vessel is intended for a patrol and escort boat or for mine detecting and mine sweeping purposes.

SECRET- 25X1A

COUNTR	Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7	X1A
TOPIC		Wester of A.A.
ACCIONATION AND A STATE OF A STAT	25X1A25X1A	da 31, v 1360
EVALUATI		M. S. 1 565 31
1.00	CONTENT 25X1C	wade of const
Matrices.	BTAINEDATE_PREPARED_2C December 1949	
REFEREN	NACA	POLICE AND HIS
	ENCLOSURES (NO. & TYPE)	**************************************
	S	AND COMMENT OF THE PARTY AND
KEMAKKS		- Laborator Longitus
Complete after a Conference of the Conference of		-
all-make that a the track of the parameter		-
ACTION TO RESIDENCE THE SERVICE AND ACTION AS A CONTRACT OF THE SECURIOR AS A CONTRACT OF THE SE		
	25.	X1X
		^ I /
1,	Location:	
	The aircraft plant, called No 22 by the Soviets, was located about five miles north of the center of KAZAN (49°06'30" E/55°51' N), dorth of a railroad running from east to west.	
2.	Labor:	
	Soviets said 1,200 persons.	
	Four-engine planes with nose wheels, flying individually, were observed in training flights over the plant	X1X
5X1X 4.	Plant No 61 (wood working factory), where among other things, aircraft instrument panels were manufactured.	
25X1A	Comment:	
	The production of four-engine bombers (B 29 duplicate) in Air craft Plant No 22 in KAZAN can be considered confirmed, + but 25%	V X V
	25/	X1A
	It is not clear what kind of wood working factory is meant in connection with plant No 16. Plant No 16 is the engine plant adjacent to the aircraft plant. In the aerial photo of 6 August 1943, a wood working plant is shown west of the town of KAZAN between the town and the Volga River. Air Frame Plant No 387, transferred from LENINGRAD as Plant No 169, has repeatedly been confirmed in KAZAN.	;
5X1A		V1 ^
	25/	X1A
	CLASSIFICATION SECRET 25>	X1A
	T Berthaman and a second secon	

TOPIC	COUN	Approved For Release	) 2002/08/15:CIA-RDP83-00415R0	10900070006-7	25X1A
DATE OF CONTEND REFERENCES PAGES  1	1		REPU	RT NO.	Mort Marchine Manner, et al. Marchine (1974).
DATE OF CONTENDATE OF CONTENDA		25X1A	25X1A	25X1A	<b>《阿拉伯·阿拉伯·</b> 第二次
DATE OBTAINED PREPARED 19 December 1949  REFERENCES  PAGES 1 ENCLOSURES (No. a type of the part of the plant)  1. Two different four-engine aircraft took off from, and landed at, the airfield near the plant.  2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monoplane, four radial engines, single radder assembly, fuselage of heavier build than that of the B-29.  SXIX Comment:  A made similar statements regarding four-engine para b as a four-engine aircraft with double radder assembly, while it is report describes the aircraft as having single rudder assembly.  As no Soviet Cour-engine circraft with double radder assembly are yet known, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ clightly in arrangement of the amment or even in the shape of fuseloge, are constructed in KASAM.	EVALU	ATION	_PLACE OBTAINED		
REFERENCES  PAGES 1 ENCLOSURES (No. a respective property)  1. Two different four-engine aircraft took off from, and landed at, the airfield near the plant.  2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monoplane, four radial engines, single radder assembly, fuselage of heavier build than that of the B-29.  XIX	DATE (	DF CONTEN	25X1C		ententa astronomia report di contr
REMARKS  1. Two different four-engine aircraft took off from, and landed at, the airfield near the plant.  2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monoplane, four radial engines, single radder assembly, fuselage of heavier build than that of the B-29.  A made similar statements regarding four-engine agraph as a four-engine aircraft with double radder assembly, while this report describes the mirraft as having single radder assembly, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ alightly in arrangement of the armament or even in the shape of fuselage, are constructed in KAZAH.	DATE (	DBTAINED	PREPARED	19 December 1949	
1. Two different four-engine aircraft took off from, and landed at, the airfield near the plant.  2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monopleme, four radial engines, single rudder assembly, fuselage of heavier build than that of the B-29.  EXIX  Comment:  A made similar statements regarding four-engine para b as a four-engine aircraft the aircraft mentioned in para b as a four-engine aircraft with double rudder assembly, while this report describes the aircraft as having single rudder assembly are yet known, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ slightly in arrangement of the armament or even in the shape of fuselage, are constructed in KAZAM.	REFER	ENCES			
1. Two different four-engine aircraft took off from, and landed at, the airfield near the plant.  2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monoplane, four radial engines, single rudder assembly, fuselage of heavier build than that of the B-29.  5X1X  Comment:  A aircraft seen there. described the aircraft mentioned in para b as a four-engine aircraft with double rudder assembly, while this report describes the aircraft as having single rudder assembly.  As no Soviet four-engine aircraft with double rudder assembly are yet known, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ clightly in arrangument of the armament or even in the shape of fuselage, are constructed in KAZAN.	PAGES.	ENCLOSURES (NO	SELLEN ON		M. An electrical and the state of the state
2. Description:  a. B-29 copy  b. Semi-high-wing or midwing monoplene, four radial engines, single rudder assembly, funciage of heavier build than that of the B-29.  5X1X					25X1>
b. Semi-high-wing or midwing monoplane, four radial engines, single rudder assembly, fuselage of heavier build than that of the B-29.  5X1X		Description:	agine aircraft took off r the plant.	from, and landed	
A alreraft seen there. described the aircraft mentioned in para b as a four-engine aircraft with double rudder assembly, while this report describes the aircraft as having single rudder assembly.  As no Soviet four-engine aircraft with double rudder assembly are yet known, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ slightly in arrangement of the armament or even in the shape of fuselage, are constructed in KAZAN.		b. Semi-high-wing or single rudder assemble	midwing monoplane, fo y, fuselage of heavier	ur radial engines, build than that or	25X1A
A aircraft seen there. described the aircraft mentioned in para b as a four-engine aircraft with double rudder assembly, while this report describes the aircraft as having single rudder assembly.  As no Soviet four-engine aircraft with double rudder assembly are yet known, it is assumed that this statement is erroneous. But it is possible that two different series of the B-29 type which differ slightly in arrangement of the armament or even in the shape of fuselage, are constructed in KAZAN.	X1X				
But it is possible that two different series of the B-29 type which differ slightly in arrangement of the armament or even in the shape of fuselage, are constructed in KAZAN.	A	para b as a four-engi	ne aircraft with double	rait mentioned in	
CLASSIFICATION SECRET-		But it is possible the which differ slightly	at two different series	ement is erroneous. s of the B-29 type	
CLASSIFICATION SECRET-		•			
CLASSIFICATION SECRET-					
CLASSIFICATION SECRET-		•			
CLASSIFICATION SECRET-					
CLASSIFICATION SECRET-					
2002 E. C.		CLASSIFICATION			25X1A


CORM	F ` 7 TRV	Approved ASS Refeated 2002/06/15: GIA-RDP83-00415R010900070006-7 Soviet Union REPORT NO.	25X1A
		Airframe Plant No. 22 in KAZAN	oligina aproxima glas prope.
		25X1A	W-1-8-0000-30-00000-1
EVALU	ATION.	25X1A PLACE OBTAINED 25X1A	C. S. A MARGING ST. THE PARTY OF THE PARTY O
DATE (	OF CO	ONTENT25X1C	PROBLEG ON MANY THOU AND
DATE (	OBTAIN	NED NED 20 December 1949	
REFER	ENCES	s	
PAGES	-	2 ENCLOSURES (40. & TYPE) 1 Blueprint	The state of the s
REMAR	RKS	William I was a second of the	
<del></del>			r markadi sa ramanananan oper mendir.
************	1 <b>1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 </b>		********
			٠,
			Taring the last the second
			25X1)
	1.	Location:	
		See references.	
	2.	Layout	
	<b>≃</b> 0	Four very large hangars and building sites on the northern	
		side of the plant were identified.	
	3.	Designation	
		Aircraft plant. A Soviet sentry once called it American bomber plant.	
	4.	Working Time	
		Changes of shift were observed at 7 a.m. and 3 p.m. thus indicating that work was done in three shifts.	
	5.	Production	
4		days of observation three or five airplanes were pulled to the plant airfield and tested for a very short time. Description of plane (see also Annex):	•
		An intermediate plane between a low-wing plane and a mid-wing monoplane; four-engine craft (no observation whether radial or in-line engine); retractable nose wheel in addition to a retractable tail wheel; glazed cockpit; there was a conspicuous round area at the fuselage, aft of wings. This surface was set off almost black against the fuselage. The three turrests were glazed; no armament was observed.	


an star

1A	Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7
). ΣΕV1Λ	
25X1A	This is the first report to mention construction sites on the morthern side of Plant o. 22; an enlargement of the plant can be inferred.
	nave also reported the machine gun station at the side of the fuselage**.

1 Annex: Description of plane

ECRUT-






~2.

- 4 Fitter's Shop, 180 x 45 feet
- 5 Hechanical department, three-wing building, frontage: 750 feet, length of wings: 300 feet, with:
  - a. Connecting rod and valve shop
  - b. Tepair shop
  - c. Screws and nuts shop, (threading machines)
  - c. Valve shop
  - e. Hardening shop
  - f. Old forge, no longer in operation
  - g. Valve shop
  - h. Offices
  - i. Drawing bureaus
- 6 New force with two steam hauners, 360 x 100 feet
- 7 Electrical department and laboratory, 300 x 90 feet
- 8 Boiler house
- NO Former church, now motor vehicle repair shop with vulcanizing plant and battery stores
- 9 Former church, now welding shop of the "OTH" Plant
- 11 Storage shed
- 12 Kitchen
- 13 Main gate

SECREP- 25X	
-------------	--

...<u>, \_</u>..



Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7


CONTROLLED DISTRIBUTION

Annex 2

25X1A

not to scale

Installation of the "Tractordetail" Plant in KUIBYSHEV




Approved For Release 2002/08/15 : CIA-RDP83-00415R010900070006-7

SECRET

ENTRE TOO

CLASSIFICATION

# KUIBYSHEV Tractor Detail Plant



### Legend:

not to scale

- Welding shop, 200 feet square Former church, 200x300x300 feet Material dump, 200x1,000 feet Garage, 100x600 feet

- Fuel dump and gasoline station, 80x300 feet
  Boilerhouse, 100x100x600 feet
  Tool department, 80x230x1,000 feet
  Fitter's shop, 66x100x500 feet
  Mechanical workshops and forge, 100x800x1,500 feet,
  steel structure with brick lining
- Transformer station, 80x100x300 feet New forge, 100x250x400 feet
- Electro department, 80x150x800 feet (including kitchen and mess hall)
- Sawmill
- 14 and 15 Entrances 16 Watch tower

All buildings, except the large workshop with the mechanical departments, are brick structures

- c. The plant is sufficiently clarified as to layout and type of construction.
- 1 annex: sketch or ditto.

### Legend:

- Tractor Detail Plant
  - 1 New forge, 90 x 15 meters, in operation since 1948 a. Annex with office
  - 2 Cantonment building with circular saws
  - 3 Dump for wood and waste materials
  - orkshop
    - a. .letallurgical laboratory

    - b. Llectric department c. Mitchen, 13 x 15 meters
  - 5 intrance for employees and guards
  - 6 Transformer station
  - 7 Lagazine, former forge
  - 8 Third mechanical workshop (production of large valves)
  - 9 First mechanical workshop (production of small and mediumsize valves)
  - 10 Hardening shop
  - 11 Annex and a. office, not completely furnished
  - Fourth mechanical workshop (production of screws and small narts)
  - 13 kepair shop
  - becond mechanical workshop (production of connecting rods) a. with office section Luilding with 7 through 14 is 130 meters long, each of the three wings is 55 meters long and 15 meters wide.
  - 15 Euilding with unknown purpose
  - 16 Tool shop
  - 17 .ain entrance
  - 18 Garages
  - ..agazine 19
  - 20 fuel dump, barrels and underground tanks

- 21 Loilerhouse, 73 x 15 meters
  - a. s mokestack
  - b. small detached building
- 22 Two former churches with dome-shaped roofs used as garages and gasoline station
- 23 moofed storage dump
- L P. camp No. 7234/
- C Granary
- D Cantonment buildings with living quarters
- Larger dwelling houses
- # Guard house

CONFIDER TIAL

COMMISSA	Approved For Release Soviet Union	200 <del>2/08</del> /15 : GIA	-RDP83-00415R	010900070006	-7	25X1
(OPIC				JRT NO.	anteriorista cama, may te stâncide deve el defen e . Le maneria	- The state of the
·	EAST 4.1 alminus - Their constructions are supplied and construct a consignative and		and the second respective to the second second second second	THE RESIDENCE OF THE OWNER, STATE OWNER	25X1A	richtenbergenere zu eitzege.
EVALUATION	25X1A	PLACE OBTAIN	VED			M war Manuala
DATE OF C	ONTE		25X1C	25X1A	No. of the Contract of Contract of the Contract of Con	kaleburandows allowed
DATE OBTA	INED.		E PREPARED	30 Novem	ber 1949	142 Subministration - New 221
	ES			the second section of the sect		and the second second second
PAGES	ENCLOSURES (A	10. & TYPE) 2	Bluenrints		25X1	<u>IA</u>
REMARKS_	-					
Alleger (groups till i state prints of a resistance in source sources	~~					
	man salah	MERCEN STREET, BACKS STREET, B	e. Deli sulle delle complette regge delle delle delle delle delle delle complete delle delle complete delle			*******
		enterioris de grandetto a plata, mais terra constituir deport e un e terrandetto	E NO. OF MANAGEMENT STORES OF STORES OF STORES	Philimber continue species Address to the toward at the		and a second
						25>
1.	Observed aircraft	•				
•						
	a. From March 194	6 to Tay 194	9: Testing	of single	encine	
	conventional aircr	aft (dee ske	tches 1, 2	and 3, typ	e I).	
	b. From mid-1947 propellers (see sk	aft (dee ske to mid-1948: etches 4, 5, reen. It ha	Testing o and 6, typ d a faster	and 3, typ f aircraft e II). In rete of cl	e I). without is plane	
	b. From mid-1947	aft (dee ske to mid-1948: etches 4, 5, reen. It ha ed and was s	Testing o and 6, typ d a faster een less fr	and 3, typ f aircraft e II). In rete of cl	e I). without is plane	¢
	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af	aft (dee ske to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948	Testing o and 6, typ d a faster een less fr	and 3, typ f aircraft e II). In rete of cl equently t	e T). without is plane imb, a han type I	e
	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun.	aft (dee ske to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in stetch	Testing o and 6, typ d a faster een less from ard: The es 7 througollowing fe	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of	e I). without is plane imb, a han type I  the type III) was this type:	¢
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	¢
	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun.	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	7
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	7
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	7
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	7
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in sketch the fo	Testing o and 6, typ d a faster een less from ard: The es 7 throug ollowing few, section	and 3, typ f aircraft e II). The rete of cl equently t testing of h 12 (type atures of (a) of fu	e I).  without is plane imb, a han type I  the type III) was this type: selage	7
	b. From mid-1947 propellers (see sk was painted cray-g greater ground spe It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte back design;	aft (dee ske to mid-1948: etches 4, 5, reen. It ha ed and was s ter mid-1948 g of 1949 om ed in shetch the forman cr r than sacti	Testing of and 6, typed a faster een less from ard: The es 7 throughollowing ferm, section on (b) (see	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of (a) of fu sketch 7)	e T).  without is plane imb, a han type I  the type III) was this type: selageswent	7
2.	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af  c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte back design;  Only the manufactur and of 6.6-foot cre	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s  ter mid-1948 g of 1949 om ed in stetch he for then section re of single	Testing of and 6, typed a faster een less from ard: The es 7 througholdowing feem, section on (b) (see throw crank 12-cylinds	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of (a) of fu sketch 7)	e T).  without is plane imb, a han type I  the type III) was this type: selage . swent-	7
2.	b. From mid-1947 propellers (see sk was painted gray-g greater ground spo It was not seen af c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte back design;  Only the manufacture	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s  ter mid-1948 g of 1949 om ed in stetch he for then section re of single	Testing of and 6, typed a faster een less from ard: The es 7 througholdowing feem, section on (b) (see throw crank 12-cylinds	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of (a) of fu sketch 7)	e T).  without is plane imb, a han type I  the type III) was this type: selage . swent-	7
2.	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af  c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte back design;  Only the manufactur and of 6.6-foot cre	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s  ter mid-1948 g of 1949 om ed in stetch he for then section re of single ankshafts for	Testing of and 6, typed a faster een less from ard: The es 7 througholdowing feem, section on (b) (see throw crank 12-cylinds	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of (a) of fu sketch 7)	e T).  without is plane imb, a han type I  the type III) was this type: selage . swent-	25X
	b. From mid-1947 propellers (see sk was painted gray-g greater ground spe It was not seen af  c. From the Oprin aircraft represent begun. Low-wing monoplane essentially shorte back design;  Only the manufactur and of 6.6-foot cre	aft (dee ske  to mid-1948: etches 4, 5, reen. It ha ed and was s  ter mid-1948 g of 1949 om ed in stetch he for then section re of single ankshafts for	Testing of and 6, typed a faster een less from ard: The es 7 througholdowing feem, section on (b) (see throw crank 12-cylinds	and 3, typ f aircraft e II). In rete of cl equently t testing of h 12 (type atures of (a) of fu sketch 7)	e T).  without is plane imb, a han type I  the type III) was this type: selage . swent-	7

•	25X1A	25X1A
Approved For Release 2002/08/15 : CIA-RDP83-0	00415R010900070006-7	ή.
SECRET.		
25X1A		
Comment:		
a.		25X1A
single-engine plane represented in sket can only be the IL-2 or IL-10, although of these types were not reproduced. The have been built until lay 1949 contradinformation. It is rossible, however, stocks of IL-2s in the plant and they affectory field before being turned over	n the characteristics not this type should icts all previous that there were old were tested at the to air units*.	
b. Type I shown in sketches 4, 5, and the prominent features of a IG design.	t 6 also does not show	25X1A
fuselage and tail assembly drawn in ske more to type II than to the swept-back	the tches 11 and 12 belong	25/1/4
		] 25X1A
d. The statement that this type aircra interior turbine and the arrangement an tail assembly is in accordance with available	id fitting of the	-
2 Annexes: 1. ) Aircraft observed in 2. ) EUIBYGUT	1	
• • •		

